STATE OF MONTAINS. Ununty of Alexander say ... that ... that ... is of sline all not again. i.e. and claiment. It of the order with with sights mentionals in either for our completion of groundwald appropriation his gre subscribed thereto as the appropriate, conten's of said foregoing system and that the Subscribed and sworn to before me, this the stay of the start of the same of Notar J Public for the State of Montana (4.3) Residing at 1998 and 2007 are not overpointed, item, they should se pump, dist fifted and the sucress of JO to GO researt of the season conjustity of the squiffers

100		MAY	31 1967			T 22	N R	21W	
UPLICA	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Billy		t		~	_{ty} Lake		
) FIJUA	rws.	Bot of Removae	Mi-Nully_		व्यक्त ५ का	in a stranger	- Training	1001	
		LOG Coy!	and Morton	ADMINISTR	ATOR C	F GROUN	DWATER	CODE	
or other se	Top of Groun			OFFI					
_		Approx.	Not	ice of Co	male	tion o	F Gran	ndwata	
_]	(Elev. above) Formations	sea level 3000')							•
		Black dirt.		Appropria		TER JAN			
	1 - 14	Tan gandy		24.5					
= 1	14 - 48	clay. Brown sand		(Under Chapte as D &/or		Montana S	ession Law	8, 1961)	
- 1		and the second s		ie E. For		A d d mor	Polso	n. Monta	na
_		tan silt.							troket in
- 1		silty water.	4.5	rty Drill					tana
- 1	48 - 141	Tan silty clay.	ate of Notic	e of appropri	tion of	groundwat	er None	filed	
-	141 - 156								
<u> </u>		of silty water.	•	rted. 1/12/6		A	- C	able Toc	1s &
_ [156 - 192	Tan silty clay	ype of well	Drilled		Equipm	ent used.A	ir Rotaz	y
_	192 - 198	prown sitty	(D	ug, driven, bore	d or drill	ied)	(Chu	m drill, rotar	or other
		of silty water.	Vater use:			funicipal [Drainage [ock ≰] Irri ner □	gation
		Tan sandy clay.	Indicate	on the diagram	les,		_		ent stra
- [238 - 407	a for annual m	net with in	drilling, such	as soil,	clay, shale,	gravel, roo	ck or sand, e	etc. Sho
-	, 4, 160 ± 2. • • • • • • • • • • • • • • • • • • •	imbedded.		ch water is en eight to which				acter of wate	er-peari
-	407 - 445	Gray clay			From	''l To	 		
		with a few gravels	Size of Drilled Hole	Size and Weight	(Feet)	(Feet)	[ERFORATIONS	
1		imbedded.	7101e	of Casing	8.	j.	Kind Size	From (Feet)	To (Feet)
_	445 - 448	Blue sand &	6"	6 5/8"	- -				
<u> </u>		gravel, some blue clay.		0D x 4"	+1	448	N	ONE	
<u> </u>		Seeps of water							
		Water has							
		objectionable odor. SWL 211'		1					
		from surface.	 			O+ +!			
	448 - 458	Green & gray rock in thin			_	static Wa	ter Level	for non-flo	
		alternate				01		125 1	
-	h-0	layers.	.					lowing Well	
 - 	458 - 476 476 - 487	Light gray roc Tan & gray roc	K e		- 1			el 252	
-	707	in thin alter-			- E			gal. per min	
-		nate layer.		X	1	Discharge	ın gaı. per	min. of flo	wing v flowi
	487 - 603	Seeps of water Gard gray rock				TT M	3 Adm 74	ft Pump	
		o-w/ +00w	~	1 !	1				
- -	_	Some water.		i		Tanadt -			
 	603 ~ 607	Green, dark gr	ay	s i	'	Length of			
- - -	603 ~ 607	Green, dark gr & red rock in alternate	SE¼, NE	¼		Remarks:	(Gravel pac	king, cemen	ting, pa
- - -	603 ~ 607	Green, dark gr & red rock in alternate layers. Some	SE¼, NE! NE½SE Sec	¼ 29. t.22 n f	≳21W	Remarks: ers, type o enterix	(Gravel pac f shutoff)./ ig well	king, cemen 11 wate from cr	ting, pa
-		Green, dark gr & red rock in alternate layers. Some water.	SE¼, NE! NE½SE Sec Indicate loc	% 29. T.22N F cation of well	2.21W l and	Remarks: ers, type o enterix seams	(Gravel pace f shutoff). In the	king, cemen 11 wate from cr	ting, pa r is acks
-	607 - 623	Green, dark gr & red rock in alternate layers. Some water. Hard gray rock	SE4, NEI NEI/SE Sec Indicate loc place of use small squa	% 29. T.22N F cation of well	2.21W l and	Remarks: ers, type o enterix seams	(Gravel pace f shutoff). In the	cking, cemen 11 wate from cr rock.	ting, pa r is acks
-	607 - 623 623 - 635	Green, dark gr & red rock in alternate layers. Some water. Hard gray rock Broken blue- green rock.	SE¼, NE! NE!/SE Sec Indicate loc place of use mall squa acres.	22. T.22N Facation of welle, if possible. are represent	2.21W l and Each s 40	Remarks: ers, type o enterix seams	(Gravel pace f shutoff). In the	king, cemen 11 wate from cr	ting, pa
-	607 - 623 623 - 635	Green, dark gr & red rock in alternate layers. Some water. Hard gray rock Broken blue- green rock. Broken green	SE¼, NE; NE1/SE Sec Indicate loc place of use small squa acres.	22. T.22N Faction of welle, if possible.	2.21W l and Each s 40	Remarks: ers, type o enterix seams	(Gravel pace f shutoff). In the 1	king, cemen All wate from cr rock.	ting, pa
	607 - 623 623 - 635	Green, dark gr & red rock in alternate layers. Some water. Hard gray rock Broken blue- green rock.	SE'4, NE: NE:/SE Sec Indicate loc place of use mall squa acres.	2.29. T.22N F cation of well e, if possible. are represent	21W l and Each s 40	Remarks: ers, type o enterix seams	(Gravel pace of shutoff). It is well in the income of the control	king, cemen All wate from er rock.	ting, pa
	607 - 623 623 - 635	Green, dark gr & red rock in alternate layers. Some water. Hard gray rock Broken blue- green rock. Broken green & tan rock in	SE¼, NE!/SE Sec. NE!/SE Sec. place of use small squa acres. USE—If u num	22. T.22N Feation of welle, if possible. are represent sed for irrigation of acres as	2.21W l and Each s 40	Remarks: ers, type o enterix seams i dustrial, d	(Gravel pac f shutoff). In the in the income (Con rainage or	king, cemen from errock.	ting, pa
-	607 - 623 623 - 635 635 - 639	Green, dark gr & red rock in alternate layers. Some water. Hard gray rock Broken blue- green rock. Broken green & tan rock in alternate layer, Water.	SE¼, NE1/SE Sec NE1/SE Sec place of usus small squa acres. USE—If unum tion)	22. T.22N Feation of welle, if possible. are represent sed for irrigation of acres and acres are acres as a creation acres and acres are acres as a creation acres and acres are acres as a creation acres a	2.21W l and Each s 40 s 40	Remarks: ers, type o enterix seams i dustrial, d ion or othe	(Gravel pace of shutoff). It is well in the important of	tinue on reother. Exp.: Lot, Block	ting, pa
	607 - 623 623 - 635 635 - 639 The water	Green, dark gr & red rock in alternate layers. Some water. Hard gray rock Broken blue- green rock. Broken green & tan rock in alternate	SE¼, NE1/SE Sec NE1/SE Sec place of usus small squa acres. USE—If unum tion)	22. T.22N Feation of welle, if possible. are represent sed for irrigation of acres as	2.21W l and Each s 40 s 40	Remarks: ers, type o enterix seams i dustrial, d ion or othe	(Gravel pace of shutoff). It is well in the important of	tinue on reother. Exp.: Lot, Block	ting, pa
	607 - 623 623 - 635 635 - 639 The water well 125	Green, dark gr & red rock in alternate layers. Some water. Hard gray rock Broken blue- green rock. Broken green & tan rock in alternate layer. Water.	SE¼, NE1/SE Sec NE1/SE Sec place of usus small squa acres. USE—If unum tion)	22. T.22N Feation of welle, if possible. are represent sed for irrigation of acres and acres are acres as a creation acres and acres are acres as a creation acres and acres are acres as a creation acres a	2.21W l and Each s 40 s 40	Remarks: ers, type o enterix seams i dustrial, d ion or othe	(Gravel pace of shutoff). It is well in the in the in the incompanies of the control of the cont	tinue on reother. Exp.: Lot, Block	ting, pa
	607 - 623 623 - 635 635 - 639 The water well 125 Show exact	Green, dark gr & red rock in alternate layers. Some water. Hard gray rock Broken blue- green rock. Broken green & tan rock in alternate layer. Water. rises in the from surface. depth of bottom.	SE¼, NE1/SE Sec NE1/SE Sec place of usus small squa acres. USE—If unum tion)	22. T.22N Feation of welle, if possible. are represent sed for irrigation of acres and acres are acres as a creation acres and acres are acres as a creation acres and acres are acres as a creation acres a	t 21W l and Each s 40	Remarks: ers, type o enterix seams i dustrial, d ion or othe	(Gravel pace of shutoff). In the control of the con	tinue on reother. Exp.: Lot, Block	ting, pa
-	607 - 623 623 - 635 635 - 639 The water well 125 Show exact	Green, dark gr & red rock in alternate layers. Some water. Hard gray rock Broken blue- green rock. Broken green & tan rock in alternate layer. Water.	SE¼, NE1/SE Sec NE1/SE Sec place of usus small squa acres. USE—If unum tion)	22. T.22N Feation of welle, if possible. are represent sed for irrigation of acres and acres are acres as a creation acres and acres are acres as a creation acres and acres are acres as a creation acres a	t 21W l and Each s 40	Remarks: ers, type o enterix seams i dustrial, d ion or othe	(Gravel pace of shutoff). If yell in the in the in the in the in the interest of the interest	tinue on reother. Exp.: Lot, Block	ting, pa
This for	607 - 623 623 - 635 635 - 639 The water well 125 Show exact Bottom	Green, dark gr & red rock in alternate layers. Some water. Hard gray rock Broken blue- green rock. Broken green & tan rock in alternate layer. Water. rises in the from surface. depth of bottom. of hole 639' d by driller, and three copie	SE4, NE:	22. T.22N F cation of welle, if possible. are represent sed for irrigation of acres and the control of acres and the control of the control o	a 21W l and Each s 40 Ation, in nd locat	Remarks: ers, type o enterir seams i dustrial, dion or othe	(Gravel pace of shutoff). If shutoff). If shutoff). If shutoff is shutoff is shutoff. (Con rainage or r data (i.e.	cking, cemen	ting, pa
This for	607 - 623 623 - 635 635 - 639 The water well 125 Show exact Bottom	Green, dark gr & red rock in alternate layers. Some water. Hard gray rock Broken blue- green rock. Broken green & tan rock in alternate layer. Water. rises in the from surface. depth of bottom.	SE4, NE:	22. T.22N F cation of welle, if possible. are represent sed for irrigation of acres and the control of acres and the control of the control o	a 21W l and Each s 40 Ation, in nd locat	Remarks: ers, type o enterir seams i dustrial, dion or othe	(Gravel pace of shutoff). If yell in the in the in the in the in the interest of the interest	cking, cemen	ting, pa

42,030

HEADINGUE. all restrict factories of the second THE RESERVE OF THE PARTY OF THE SANDER TRANSCORPE BANK TOWN 新春秋日本日本日本 (1000) The state of the s Top of Green LEGAL Devol see not all 1992 ETH TELES Market asket. 13 1 1 V 工法中意思 明本 大型 · 一种工作 我以外母 我就会有事。 CARRET WE WASHER . No. 5 5 7 5 6 3 4 5 所用 新江京間 の何大百十年 Same of the 在學者以來之前 The state of the s 推薦 新山山山 THE COLUMN TO ADMINISTRATION OF THE PARTY OF 15K 18 48W ANTERNA THERETO SOLVER TONE E SCHOOLS Modes of Composion of Economics ener eerkverees to conferrence to tow to arrow vi nothingordan Company to a contract and many of the content of th STATE OF MONTANA SS County of Lake SS VA A. D. 1967 at 11140 o'clor County Clerk and Rec CHESTIAN STATE OF SOLVENIES DESCRIPTION OF STREET OF STREET CHATRON TO MINTE the continued for the best work? A real topy may be to be the top the season of the season of dong gathtehrey spridency (round) subsprings Complified Water John Committee Now yeared to wise out they of depositedials WHILE THE LEE Acres Sell Comme 45.11.62 STREET PROPERTY. 化混合物 医甲酰胺 17、12年八年五月八年四日 1 120 No. 138 May 1 D methoded

File No. DUPLICATE

County.

ADMINISTRATOR OF GROUNDWATER GODE-OFFICE OF STATE ENGINEER

STATE ENGINEER Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

	George R. & Arthur Owner F. Gould Address Polson, Montana
	Contractor (if any) None
	Address of Contractor
	Date StartedNone Date CompletedNone
N	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	water when applicable
	Seapage
	undeveloped apring
	The Southeast Querter of the
	Southwest Quarter (SELSWL)
	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent
	estimate approximate lengths of periods of use
14 Sec. 29 T.22 R. 21.	Used for stock water
Indicate point of appropriation and place of use, if possible.	
	Signature of Owner Seels Fould
	Date February 15, 163

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

R146 Water Report George Rx Arthur P. Garld The Public

STATE OF MONTANA

County of Lake,

Piled on the 11 day of 11k

A. D. 196 3 at 237.0° clock L.M

HAZEL KINNICK

County Clerk and Recerder

By S Deputy

		Approved Stock Form—State Publisi	hing Co., Helena, Montana—42234
'ile No			72 R 2
OUPLICATE		1 p 147	County Lake
		STATE OF MONTANA	
		RATOR OF GROUNDWATER CODE	DECEIVED
	OFFI —	CE OF STATE ENGINEER	
	Declaration of	Vested Groundwater	Rights JAN 2 1964
	(Under Chap	ter 237, Montana Session Laws, 1961)	STAIL ENGINEER
1.J. Wendell	Burrowes or Marilyn J. (Name of Appropriator)	Burrowes, of 11.23 3rd St. (Address)	Sast Polson (Town)
County of	Lake	State of Montana	
have appropri	ated groundwater according	to the Montana laws in effect prior	to January 1, 1962, as follows:
T : : :	N	2. The beneficial use on which the claim	im is based. Watering. Cattle
		Par	
		3. Date or approximate date of earlie	est beneficial use; and how continu-
	X	ous the use has been The previous	us owner from which we
w	ε	purchased this property is knowledge of when these we	deceasedandwe-haveno Llswere-dug _j atleast30yr:
		4. The amount of groundwater clair	-
		per minute)#L.approx.8gal	per min.
		#2 approx 20 ga	1. per min.
		5. If used for irrigation, give the ac	creage and description of the lands
	s	none none	d and name of the owner thereof
4SE14.NE# Sec	32 T.22 R 21		***************************************
Indicate point and place of use	of appropriation , if possible. Each		
small square re	presents 10 acres.	6. The means of withdrawing such v	vater from the ground and the loca- f withdrawalpump
	7.7	non of each wen of other means of	r withdrawapump
		letion of the construction of the wel	
CLEMET OF	groundwaterunknown88	me as #3	
8 The denth	of water table #1 22f+	#2.18.f. t. deep	
		•	
9. So far as works for t	it may be available, the typ the withdrawal of groundwat	pe, size and depth of each well or the er.#L.Dug.wellcement.cribb	e general specifications of any other
	#2dug.well, cement.c	ribbing, 20 ft. deep	

10. The estima	ited amount of groundwater	withdrawn each year#110,000	#242,500.gelper.yr
11. The log of	formations encountered in t	the drilling of each well if available	Not svailable
			•
	•		
		nature as may be useful in carrying	
	to book and page or any cou	nty record Not available	***************************************
*****		Q.D	endel Burones
	· .	Climatura at Omeran	Marilyn J Burrawes
		Signature of Owners:	ate 12-30-63
		D	are 14-30-63
Three copies t	o be filed by the owner with t	the County Clerk and Recorder of the	county in which the well is located

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Roffe 162975

Report

J. Wendell + Marilyn J.

Burrower

To

The Cublic

STATE OF MONTANA

County of Lake,

Filed on the Sel day of Ale

A. D. 190 Sela o'clock O M

County Clerk and Recorder

Depute

		Approved Stock Form—State Publishing Co., Helena, Montana—39089
ile No		T 22N R2LW
UPLICATE	<u> </u>	County Lake
		F MONTANA GROUNDWATER CODE
en de la composition de la composition La composition de la	*** **** **** **** **** **** **** **** ****	TATE ENGINEER CODE FEB 25 1963
		UU FEB 25 1963
D€	claration of Veste	ed Groundwater Rights
	(Under Chapter 237, M	iontana Session Laws, 1961) STATE ENGINEE
George	.9.5 a. A m -	
(Name of	Appropriator)	ld of Polson. (Address) (Town)
County of Lake	undwater according to the	(Address) (Town) State of Montana Montana laws in effect prior to January 1, 1962, as follows
N	, and a description of the	mondate and in circus prof. to candary 1, 1902, as follows
	2. The be	neficial use on which the claim is based.
	; 19 (/)	House use and stock
	3. Date 0	r approximate date of earliest beneficial use; and how con
┨╼╞═ ┼═┼═┼	tinuous	the use has been 1950
*	e had	been in use thirteen years
	4. The ar	nount of groundwater claimed (in miner's inches or gallo
	per mi	nute) 10 Gallons per minute more or les
		l for irrigation, give the acreage and description of the lan ch water has been applied and name of the owner there
8		None
	R21W	NEtNEt Sec. 32, T22N, R21W
Indicate point of appro and place of use, if p Each small square repre	priation	
77	oggiore,	
		neans of withdrawing such water from the ground and to
	locatio Elect	on of each well or other means of withdrawal
acres.	locatio Elect	on of each well or other means of withdrawal
acres. 7. The date of commen	location Elect Elect	on of each well or other means of withdrawal
7. The date of commen drawal of groundwar	location in the completion of	on of each well or other means of withdrawal
7. The date of commen drawal of groundwar	location Elect	on of each well or other means of withdrawal
7. The date of commen drawal of groundwar	location Elect cement and completion of the MAF, 1950 table 12 feet	on of each well or other means of withdrawal
7. The date of commen drawal of groundwar. 8. The depth of water 9. So far as it may be	table 12 feet available, the type, size and away of groundwater.	on of each well or other means of withdrawal
7. The date of commen drawal of groundwat 8. The depth of water 9. So far as it may be works for the withd	location Elect cement and completion of the MAY, 1950 table 12 feet available, the type, size and the completion of the	on of each well or other means of withdrawal
7. The date of commen drawal of groundwat 8. The depth of water 9. So far as it may be works for the withd	location Elect cement and completion of the MAY, 1950 table 12 feet available, the type, size and the completion of the	on of each well or other means of withdrawal
7. The date of commen drawal of groundwar. 8. The depth of water 9. So far as it may be works for the withd	table 12 feet available, the type, size and cawal of groundwater. 1000 year 1 to 1 t	on of each well or other means of withdrawal. ric Pump house and stock water use the construction of the well, wells, or other works for with the depth of each well or the general specifications of any other curb; water removed by cleatric pumps of the curb; water removed by cleatric pumps.
7. The date of commen drawal of groundwar. 8. The depth of water 9. So far as it may be works for the withd	table 12 feet available, the type, size and cawal of groundwater. 1000 year 1 to the control of	on of each well or other means of withdrawal
7. The date of commen drawal of groundwat 8. The depth of water 9. So far as it may be works for the withd 2. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3.	location Elect cement and completion of the MAY, 1950 table 12 feet available, the type, size and the size	on of each well or other means of withdrawal ric Pump-house and stock water use the construction of the well, wells, or other works for with depth of each well or the general specifications of any other curb; water removed by cleatric pump we each year 5000 gallons per year and of each well if available.
7. The date of commendrawal of groundwar. 8. The depth of water 9. So far as it may be works for the withd	location Elect cement and completion of the sement and complete sement and of groundwater withdrawn as encountered in the drilling gravel and clay	on of each well or other means of withdrawal ric Pump house and stock water use the construction of the well, wells, or other works for with depth of each well or the general specifications of any other curb, water removed by electric pump weach year. 5000 gallons per year.
7. The date of commendrawal of groundwar. 8. The depth of water 9. So far as it may be works for the withd	location Elect cement and completion of the MAY, 1950 table 12 feet available, the type, size and rawal of groundwater for the 22ft deep, wood feet in 21 meter at of groundwater withdraw as encountered in the drilling gravel and clay	on of each well or other means of withdrawal ric Pump-house and stock water use the construction of the well, wells, or other works for with depth of each well or the general specifications of any other curb; water removed by electric pump of each year 5000 gallons per year and of each well if available.
7. The date of commen drawal of groundwar. 8. The depth of water 9. So far as it may be works for the withd about 11. The log of formatio 12. Such other informat	table 12 feet available, the type, size and rawal of groundwater and of groundwater and of groundwater and of groundwater withdrawns encountered in the drillingrayel and clay	on of each well or other means of withdrawal ric Pump house and stock water use the construction of the well, wells, or other works for with the depth of each well or the general specifications of any of the curb, water removed by electric pump of each well if available.
7. The date of commendrawal of groundwards. 8. The depth of water 9. So far as it may be works for the withd	location Elect cement and completion of the MAY, 1950 table 12 feet available, the type, size and cawal of groundwater substitute 22ft. deep, wood feet in dismeter at of groundwater withdraw as encountered in the drillingrayel and clay ion of a similar nature as med page of any county record	on of each well or other means of withdrawal ric Pump-house and stock water use the construction of the well, wells, or other works for with depth of each well or the general specifications of any other curb; water removed by electric pump of each well if available. The pump-house and stock water use well are general specifications of any other curb; water removed by electric pump of each well if available.
7. The date of commendrawal of groundwards. 8. The depth of water 9. So far as it may be works for the withd	location Elect cement and completion of the MAY, 1950 table 12 feet available, the type, size and cawal of groundwater substitute 22ft. deep, wood feet in dismeter at of groundwater withdraw as encountered in the drillingrayel and clay ion of a similar nature as med page of any county record	on of each well or other means of withdrawal ric Pump house and stock water use the construction of the well, wells, or other works for with the depth of each well or the general specifications of any of the curb, water removed by electric pump of each well if available.
7. The date of commendrawal of groundwards. 8. The depth of water 9. So far as it may be works for the withd about 10. The estimated amound 11. The log of formation 12. Such other informat reference to book ar	location Elect cement and completion of the MAY, 1950 table 12 feet available, the type, size and cawal of groundwater substitute 22ft. deep, wood feet in dismeter at of groundwater withdraw as encountered in the drillingrayel and clay ion of a similar nature as med page of any county record	on of each well or other means of withdrawal ric Pump house and stock water use the construction of the well, wells, or other works for with the depth of each well or the general specifications of any of the curb, water removed by electric pump of each well if available. The pump house and stock water use the pump of each well if available. The pump house and stock water use the pump of each well if available. The pump house and stock water use the pump of each well if available. The pump house and stock water use the policy of this act, including the policy of this act, including the pump of ownership in Courthouse.
7. The date of commendrawal of groundwards. 8. The depth of water 9. So far as it may be works for the withd about 10. The estimated amound 11. The log of formation 12. Such other informat reference to book ar	location Elect cement and completion of the MAY, 1950 table 12 feet available, the type, size and cawal of groundwater substitute 22ft. deep, wood feet in dismeter at of groundwater withdraw as encountered in the drillingrayel and clay ion of a similar nature as med page of any county record	on of each well or other means of withdrawal ric Pump house and stock water use the construction of the well, wells, or other works for with the depth of each well or the general specifications of any of the curb, water removed by electric pump of each well if available. The pump house and stock water use the pump of each well if available. The pump house and stock water use the pump of each well if available. The pump house and stock water use the pump of each well if available. The pump house and stock water use the policy of this act, including the policy of this act, including the pump of ownership in Courthouse.
7. The date of commendrawal of groundwards. 8. The depth of water 9. So far as it may be works for the withd about 10. The estimated amound 11. The log of formation 12. Such other informat reference to book ar	location Elect cement and completion of the MAY, 1950 table 12 feet available, the type, size and cawal of groundwater substitute 22ft. deep, wood feet in dismeter at of groundwater withdraw as encountered in the drillingrayel and clay ion of a similar nature as med page of any county record	on of each well or other means of withdrawal ric Pump-house and stock water use the construction of the well, wells, or other works for with depth of each well or the general specifications of any other curb; water removed by electric pump of each well if available. The pump-house and stock water use well are general specifications of any other curb; water removed by electric pump of each well if available.
7. The date of commendrawal of groundwar. 8. The depth of water 9. So far as it may be works for the withd about 10. The estimated amount 11. The log of formation 12. Such other informat reference to book are No reco	table 12 feet available, the type, size and cawal of groundwater are 22ft. deep, woodfeet in dismeter as encountered in the drillingravel and clay ion of a similar nature as med page of any county records	on of each well or other means of withdrawal ric Pump house and stock water use the construction of the well, wells, or other works for with the depth of each well or the general specifications of any of the curb, water removed by electric pump of each well if available. The pump house and stock water use the pump of each well if available. The pump house and stock water use the pump of each well if available. The pump house and stock water use the pump of each well if available. The pump house and stock water use the policy of this act, including the policy of this act, including the pump of ownership in Courthouse.
7. The date of commen drawal of groundwar. 8. The depth of water 9. So far as it may be works for the withd 10. The estimated amount are ference to book are works are ference to book are ference to book are works. 12. Such other informations are ference to book are works.	location Elect cement and completion of the MAY, 1950 table 12 feet available, the type, size and rawal of groundwater from 21 cmcter at of groundwater withdray as encountered in the drilling gravel and clay ion of a similar nature as mad page of any county records. by the owner with the County records.	no of each well or other means of withdrawal ric Pump-house and stock water use the construction of the well, wells, or other works for with depth of each well or the general specifications of any other curb, water removed by cleatric pumper water removed by cleatric pumper water seach year. Sound gallons per year any of each well if available. Signature of Owner level found for ownership in Gourthouse. Signature of Owner level found for the county in which the well and Clerk and Recorder of the county in which the well water the county in which wa
7. The date of commen drawal of groundwar. 8. The depth of water 9. So far as it may be works for the withd 10. The estimated amount and the log of formation was a log or some log or some a log or some a log or some a log or some a log or s	location Elect cement and completion of the MAY, 1950 table 12 feet available, the type, size and rawal of groundwater from 21 cmcter at of groundwater withdray as encountered in the drilling gravel and clay ion of a similar nature as mad page of any county records. by the owner with the County records.	no of each well or other means of withdrawal ric Pump house and stock water use the construction of the well, wells, or other works for with depth of each well or the general specifications of any other curb, water removed by electric pump who each year. 5000 gallons per year and of each well if available. Signature of Owner Lease Hould the policy of this act, including the content of the court house. Signature of Owner Lease Hould the policy of this act, including the court house.

R147 Water Report George Ry arthur Learge Ry arthur To The Public

STATE OF MONTANA

County of Lake,

Filed on the 11. day of 16

A. D. 1962 at 14. o'clock 1 M

HAZEL KINNICK

County Clerk and Recorder

By Dequate Devut

The state of the s

TO THE PARTY OF TH

WALL THE TANK WIND ALL OF

		1.			
		20.0			
		. 37.15.5			
	**		11.611		
_	•=		All and the		
. In	نما ا	No	·		

State Publishing Co., Helena, Montana-



DUPLICATE

T 22N R 21W

County....Lake

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

D) ECEIVE

Declaration of Vested Groundwater Rights ENGINEER (Under Chapter 237, Montana Session Laws, 1961)

Polson, Lake County, Montana (Address) Robert Gould (Name of Appropriator) State of..... County of.

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

Indicate point of appropriation and place of use, if possible. Each small square represents 10

- 2. The beneficial use on which the claim is based....... House use and stock
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1943 -has been in use for twenty years. ----continuous use
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute 30 gallons per minute more or less
- If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof .None...
- The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.... Pump - house and stock water use
- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater......July 1943....
- 8. The depth of water table.....6-feet-
- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater.....

about 12 feet deep; coment curbing; water removed by electric pump; 3-feet-in-diameter.

- 10. The estimated amount of groundwater withdrawn each year. 12,000 gallons a year.
- 11. The log of formations encountered in the drilling of each well if available.... -gravel-and-creek-sand-etc----
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.....

.....No records except records of ownership in Courthouse

Signature of Owner Boffert

Date February 15. '63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

R145 Water Report Robert Goulf to The Public

STATE OF MONTANA

County of bake,
Filed on the 10 day of 16

A. D. 196 3al 2:37 clock f. M

HAZEL KINNICK

County Clerk and Recorder

Ru

Depute

Depute

.

- Mari	Approved Stock Form—State Publishing Co., Helena, Montana—39089
e No	
PLICATE	CountyLAKE
	STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE
	OFFICE OF STATE ENGINEER
	Declaration of Vested Groundwater Rights _{ICT 1} 1963
	(Under Chapter 237, Montana Session Laws, 1961) wife STATE ENGINEER
	wife STATE ENGINE
Wayne Grant	and Pearl Grant, his of Polson, Montana (Address) (Town)
County of	Lake State of Montana
have appropriated	groundwater according to the Montana laws in effect prior to January 1, 1962, as follows
N	
	B A 2. The beneficial use on which the claim is based
	3. Date or approximate date of earliest beneficial use; and how co
	tinuous the use has been Well A - 1957 Spring B - 1930continuous use on both
	E since
	4. The amount of groundwater claimed (in miner's inches or gallo
	per minute) Well A - 50 gal per minute Spring B - 150 gal per minute
	Soring b - 150 gal per minute
	5. If used for irrigation, give the acreage and description of the lar
8	to which water has been applied and name of the owner ther
av cal.	AR HENET. Sec 14. DUNI EE II. HAIRO EE W.
NE] ¼ Sec.34 T	. Stanner wast Page 1 Complete
	22 R 21 Wayne and Fearl Grant
	r 22 R 21 Wayns and Fearl Grant propropriation if possible. presents 10 6. The means of withdrawing such water from the ground and the second such water from the ground such
ndicate point of and place of use,	perceptiation of each well or other means of withdrawal
	perceptiation of each well or other means of withdrawal or other means of withdrawal
	wayne and fearl Grant perpopriation if possible. expresents 10 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Well A - pump Spring B - pipe and ditch
	wayne and fearl Grant perpopriation if possible. expresents 10 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Well A - pump Spring B - pipe and ditch
ndicate point of and place of use, cach small square reces. 7. The date of ground drawal of ground.	wayne and fearl Grant perpopriation if possible. spresents 10 6. The means of withdrawing such water from the ground and a location of each well or other means of withdrawal
ndicate point of and place of use, cach small square reces. 7. The date of ground drawal of ground.	wayne and fearl Grant perpopriation if possible. expresents 10 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Well A - pump Spring B - pipe and ditch
7. The date of comdrawal of ground	wayne and fearl Grant oppropriation if possible. opresents 10 6. The means of withdrawing such water from the ground and blocation of each well or other means of withdrawal. Well A - pump Spring B - pipe and ditch mencement and completion of the construction of the well, wells, or other works for withdrawal. water both commenced and completed prior to or in 1957 ater table. Shallow - 8 to 10 feet, spring surface be available, the type, size and depth of each well or the general specifications of any of
7. The date of comdrawal of ground	wayne and fearl Grant oppropriation if possible. opresents 10 6. The means of withdrawing such water from the ground and blocation of each well or other means of withdrawal. Well A - pump Spring B - pipe and ditch mencement and completion of the construction of the well, wells, or other works for withdrawal. water both commenced and completed prior to or in 1957 ater table Shallow - 8 to 10 feet, spring surface be available, the type, size and depth of each well or the general specifications of any of ithdrawal of groundwater. Spring water is withdrawn at surface.
7. The date of comdrawal of ground. 8. The depth of we works for the was well has	wayne and Fearl Grant oppropriation if possible. opresents 10 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Well A - pump Spring B - pipe and ditch mencement and completion of the construction of the well, wells, or other works for with water both commenced and completed prior to or in 1957 ater table. Shallow - 8 to 10 feet, spring surface be available, the type, size and depth of each well or the general specifications of any of ithdrawal of groundwater. Spring water is withdrawn at surface, a shallow pump.
7. The date of comdrawal of ground 8. The depth of we works for the wall has	wayne and fearl Grant propopriation if possible. presents 10 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Well A = pump Spring B = pipe and ditch mencement and completion of the construction of the well, wells, or other works for withwater both commenced and completed prior to or in 1957 ater table. Shallow = 8 to 10 feet, spring surface be available, the type, size and depth of each well or the general specifications of any of ithdrawal of groundwater. Spring mater is withdrawn at surface, a shallow pump
7. The date of comdrawal of ground 8. The depth of way works for the way works for the way and the comdrawal of ground	wayne and fearl Grant oppropriation if possible. opresents 10 6. The means of withdrawing such water from the ground and include the location of each well or other means of withdrawal. Well A - pump Spring B - pipe and ditch mencement and completion of the construction of the well, wells, or other works for withwater. both commenced and completed prior to or in 1957 ater table. Shallow - 8 to 10 feet, spring surface be available, the type, size and depth of each well or the general specifications of any of ithdrawal of groundwater. Spring water is withdrawn at surface, a shallow pump
7. The date of comdrawal of ground 8. The depth of way works for the way works for the way and the common that was a second to the common that was a second t	wayne and fearl Grant oppropriation if possible. opresents 10 6. The means of withdrawing such water from the ground and blocation of each well or other means of withdrawal. Well A - pump Spring B - pipe and ditch mencement and completion of the construction of the well, wells, or other works for widwater. both commenced and completed prior to or in 1957 ater table. Shallow - 8 to 10 feet, spring surface be available, the type, size and depth of each well or the general specifications of any of ithdrawal of groundwater. Spring water is withdrawn at surface, a shallow pump
mdicate point of and place of use, lach small square recers. 7. The date of communication of ground drawal of ground works for the way wo	wayne and Fearl Grant proporpriation if possible. presents 10 6. The means of withdrawing such water from the ground and blocation of each well or other means of withdrawal. Well A - pump Spring B - pipe and ditch mencement and completion of the construction of the well, wells, or other works for withdrawar. both commenced and completed prior to or in 1957 ater table. Shallow - 8 to 10 feet, spring surface be available, the type, size and depth of each well or the general specifications of any of ithdrawal of groundwater. Spring water is withdrawn at surface, a shallow pump mount of groundwater withdrawn each year. 80 miners inches
mdicate point of and place of use, lach small square recers. 7. The date of communication of ground drawal of ground works for the way wo	wayne and fearl Grant oppropriation if possible. opresents 10 6. The means of withdrawing such water from the ground and blocation of each well or other means of withdrawal. Well A - pump Spring B - pipe and ditch mencement and completion of the construction of the well, wells, or other works for withwater. both commenced and completed prior to or in 1957 ater table. Shallow - 8 to 10 feet, spring surface be available, the type, size and depth of each well or the general specifications of any of ithdrawal of groundwater. Spring water is withdrawn at surface, a shallow pump mount of groundwater withdrawn each year. 80 miners inches mount of groundwater withdrawn each year. 80 miners inches ations encountered in the drilling of each well if available. NORE
ndicate point of and place of use, and use of use. 7. The date of come drawal of ground. 8. The depth of we works for the well had used. 10. The estimated at the log of form.	wayne and fearl Grant oppropriation if possible. opresents 10 6. The means of withdrawing such water from the ground and included by the series of the construction of the well of the well, wells, or other works for withdraw both commenced and completed prior to or in 1957 ater table
ndicate point of and place of use, cach small square recers. 7. The date of community of the depth of well and works for the well had been small had been small been small had been small sm	wayns and fearl Grant proportiation if possible. presents 10 6. The means of withdrawing such water from the ground and a location of each well or other means of withdrawal. Well A = pump Spring B = pipe and ditch mencement and completion of the construction of the well, wells, or other works for withwater both commenced and completed prior to or in 1957 ater table. Shallow = 8 to 10 feet, spring surface be available, the type, size and depth of each well or the general specifications of any of ithdrawal of groundwater. Spring water is withdrawn at surface, a shallow pump mount of groundwater withdrawn each year. 80 miners inches ations encountered in the drilling of each well if available. 1908
ndicate point of and place of use, lach small square recers. 7. The date of community of the depth of well and the works for the well had been small the depth of the well the well the depth of the well t	wayne and rearl Grant proportiation if possible. presents 10 6. The means of withdrawing such water from the ground and a location of each well or other means of withdrawal. Well A - pump Spring B - pipe and ditch mencement and completion of the construction of the well, wells, or other works for with the commenced and completed prior to or in 1957 ater table. Shallow - 8 to 10 feet, spring surface be available, the type, size and depth of each well or the general specifications of any of ithdrawal of groundwater. Spring water is withdrawn at surface, a shallow pump mount of groundwater withdrawn each year. 80 miners inches ations encountered in the drilling of each well if available. MARS. The means of withdrawal ground and a location of the ground and a location withdrawal. Well A - pump Spring B - pipe and ditch The well well, wells, or other works for withdrawal. Well A - pump Spring B - pipe and ditch The well well well well in the well, wells, or other works for withdrawal. Well A - pump Spring B - pipe and ditch The well well well well well, wells, or other works for withdrawal. Well A - pump Spring B - pipe and ditch The well well, wells, or other works for withdrawal. Well A - pump Spring B - pipe and ditch The well well, wells, or other works for withdrawal. Well A - pump Spring B - pipe and ditch The well well well, wells, or other works for withdrawal. Well A - pump Spring B - pipe and ditch The well well well, wells, or other works for withdrawal. Well A - pump Spring B - pipe and ditch The well A - pump Spring B - pipe and ditch The well A - pump Spring B - pipe and ditch The well A - pump Spring B - pipe and ditch The well A - pump Spring B - pipe and ditch The well A - pump Spring B - pipe and ditch The well A - pump Spring B - pipe and ditch The well A - pump Spring B - pipe and ditch The well A - pump Spring B - pipe and ditch The well A - pump Spring B - pipe and ditch The well A - pump Spring B - pipe and ditch The well A - pump Spring
ndicate point of and place of use, lach small square recess. 7. The date of common drawal of ground 8. The depth of we works for the works for the works for the works. 10. The estimated and the log of form.	wayne and Fearl Grant proportiation if possible. presents 10 6. The means of withdrawing such water from the ground and to location of each well or other means of withdrawal. Well A = pump Spring B = pipe and ditch mencement and completion of the construction of the well, wells, or other works for withwater. both commenced and completed prior to or in 1957 ater table. Shallow = 8 to 10 feet, spring surface be available, the type, size and depth of each well or the general specifications of any of ithdrawal of groundwater. Spring water is withdrawn at surface, a shallow pump. mount of groundwater withdrawn each year. 80 miners inches ations encountered in the drilling of each well if available. Mayne and Fearl Grant Water from the ground and to location the withdrawal. Well A = pump Spring B = pipe and ditch The means of withdrawal and to location the well, wells, or other works for withdrawal. Well A = pump Spring B = pipe and ditch Means of the well, wells, or other works for withdrawal and the well, wells, or other works for withdrawal. Well A = pump Spring B = pipe and ditch Means of the well or other means of withdrawal. Well A = pump Spring B = pipe and ditch Means of the well, wells, or other works for withdrawal. Well A = pump Spring B = pipe and ditch Means of the well or other means of withdrawal. Well A = pump Spring B = pipe and ditch Means of the well, wells, or other works for withdrawal. Well A = pump Spring B = pipe and ditch Means of the well, wells, or other wells, or other works for withdrawal. Well A = pump Spring B = pipe and ditch Means of the well or other means of withdrawal. Well A = pump Spring B = pipe and ditch Means of the well or other means of withdrawal. Well A = pump Spring B = pipe and ditch Means of the well or other means of withdrawal. Well A = pump Spring B = pipe and ditch Means of the well or other well
ndicate point of and place of use, lach small square recess. 7. The date of common drawal of ground 8. The depth of we works for the works for the works for the works. 10. The estimated and the log of form.	wayne and Fearl Grant opropriation if possible. spresents 10 6. The means of withdrawing such water from the ground and solocation of each well or other means of withdrawal. Well A - pump Spring B - pipe and ditch mencement and completion of the construction of the well, wells, or other works for with the commenced and completed prior to or in 1957 ater table. Shallow - 8 to 10 feet, spring surface be available, the type, size and depth of each well or the general specifications of any of this drawal of groundwater. Spring water is withdrawn at surface, a shallow pump. mount of groundwater withdrawn each year 80 miners inches ations encountered in the drilling of each well if available. 11908. The mation of a similar nature as may be useful in carrying out the policy of this act, inclused and page of any county record. Wayne Grant
ndicate point of and place of use, lach small square recess. 7. The date of common drawal of ground 8. The depth of we works for the works for the works for the works. 10. The estimated and the log of form.	wayne and fearl Grant opropriation if possible. opresents 10 6. The means of withdrawing such water from the ground and a location of each well or other means of withdrawal well A = pump Spring B = pipe and ditch mencement and completion of the construction of the well, wells, or other works for with water both commenced and completed prior to or in 1957 ater table. Shallow = 8 to 10 feet, spring surface be available, the type, size and depth of each well or the general specifications of any ot indrawal of groundwater. Spring water is withdrawn at surface, a shallow pump mount of groundwater withdrawn each year. 80 miners inches ations encountered in the drilling of each well if available. hone mation of a similar nature as may be useful in carrying out the policy of this act, include and page of any county record. Wayne Grant Pearl Grant
ndicate point of and place of use, lach small square recess. 7. The date of common drawal of ground 8. The depth of we works for the works for the works for the works. 10. The estimated and the log of form.	wayne and Fearl Grant opropriation if possible. spresents 10 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Well A - pump Spring B - pipe and ditch mencement and completion of the construction of the well, wells, or other works for with the commenced and completed prior to or in 1957 ater table. Shallow - 8 to 10 feet, spring surface be available, the type, size and depth of each well or the general specifications of any of this drawal of groundwater. Spring matter is withdrawn at surface, a shallow pump. mount of groundwater withdrawn each year 80 miners inches ations encountered in the drilling of each well if available. 11008 mation of a similar nature as may be useful in carrying out the policy of this act, include and page of any county record. Wayne Grant

R-243

161276

Shayne & Rearl Grant

The Pablic

STATE OF MONTANA SECOND OF Lake,
Filed on the 25 day of Dople A. D. 1963 at 1.550 clock A.M.

ENAMEL KINNICK

County Clerk and Recorder

The County Clerk and Recorder

Deputy

Deputy

		Approved Stock Form—State Public	shing Co., Helena, Montana—41921 😂 🔑
No			T 22N R 21 W
PLICATE			County LAKE
· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·
	The second secon	OF GROUNDWATER COD	ECEIVEIII
	OFFICE OF	STATE ENGINEER	600; A C - 00
		Montana Session Laws, 1961	Rights Dec 90 1958 STATE ENGINEER
and Dennis MoL	atchy	, of Route One	Polson
	Appropriator)	(Address)	(Town)
County of Lake have appropriated groun	idwater according to the	State of Mon Montana laws in effect prio	r to January 1, 1962, as follows:
	2. The	beneficial use on which the classes water and irrig	aim is based Domestic use,
			45 65
			est beneficial use; and how continuuse is sontinuous for
	s.to	ok water and domest	le purposes, sessonal
			imed (in miner's inches or gallons
			er minute
			acreage and description of the lands
ENENE + NESNES	to	which water has been application	ed and name of the owner thereof
· · -	****		Lgatin
1⁄4 Sec34 Т.221		***************************************	***************************************
ndicate point of appro nd place of use, if possible mall square represents 1	e. Each 0 acres. 6. The	n of each well or other means	water from the ground and the loca- of withdrawaldeepwellpump,
	-4 +		
 The date of commer drawal of groundwat 	ncement and completion of	of the construction of the w	ell, wells, or other works for with-
drawal of groundwat	ncement and completion c ter1948	of the construction of the w	ell, wells, or other works for with-
8. The depth of water to 9. So far as it may be works for the withdre	ableDepthofwel	l is 330 feet. and depth of each well or the state of th	ne general specifications of any other
8. The depth of water to works for the withdra	able Depth of wel	l is 330 feet. and depth of each well or till is 330 feet deep	ne general specifications of any other and has 4 inch casing.
8. The depth of water to 9. So far as it may be works for the withdra	ncement and completion of ter1948	l is 330 feet. and depth of each well or the state of th	ne general specifications of any other
8. The depth of water to works for the withdre	ncement and completion of ter	l is 330 feet. and depth of each well or till is 330 feet deep	ne general specifications of any other o, and has 4 inch casing.
8. The depth of water to 9. So far as it may be works for the withdre	ncement and completion of ter	and depth of each well or till is 330 feet deep	ne general specifications of any other and has 4 inch casing.
8. The depth of water to 9. So far as it may be works for the withdre	ncement and completion of ter	and depth of each well or the lis. 330 feet. and depth of each well or the lis. 330 feet deep deep deep deep deep deep deep d	ne general specifications of any other o, and has 4 inch casing.
8. The depth of water to 9. So far as it may be works for the withdre 10. The estimated amount 11. The log of formation 12. Such other informat reference to book an	ncement and completion of ter	and depth of each well or the lis. 330 feet. and depth of each well or the lis. 330 feet. deep line are each year. 25 to 3. ting of each well if available.	ne general specifications of any other of and has 4 inch casing.
8. The depth of water to 9. So far as it may be works for the withdre 10. The estimated amount 11. The log of formation 12. Such other informat reference to book an	ncement and completion of ter	and depth of each well or the lis. 330 feet. and depth of each well or the lis. 330 feet. deep line are line of each well if available. as may be useful in carrying ord.	ne general specifications of any other of and has 4 inch casing. million gallons none or unknown out the policy of this act, including
8. The depth of water to 9. So far as it may be works for the withdre 10. The estimated amount 11. The log of formation 12. Such other informat reference to book an	ncement and completion of ter	and depth of each well or till is 330 feet. and depth of each well or till is 330 feet deep awn each year 2½ to 3 ling of each well if available. as may be useful in carrying ord.	ne general specifications of any other of and has 4 inch casing. million gallons none or unknown out the policy of this act, including

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

R-537 162847 Shater Report Dennis McLalchy ! The Public

STATE OF MONTANA 32

County of Lake,

Filed on the 2 1 day of 100 p.

A Dissipation of County Clerk and Recorder

By December

Dep

120

		Approved Stock Form-S	tate Publishing Co., Helena, Montana—42234
File No			T 221 R 21 W
DUPLICATE			. County Like
	Administ r	TATE OF MONTANA ATOR OF GROUNDWATER DE OF STATE ENGINEER	
	Declaration of	Vested Groundwa	ater Rights
	(Under Chapt	er 237, Montana Session Laws	s, 1961) STATE ENGINEER
1 Georg	e H. Shorp	on of FIOL	Bay 150 Polariss
7/	Name of Appropriator	Addres	s) (Town)
County of Ohh	ed groundwater according	State of State of to the Montana laws in effect	et prior to January 1, 1962, as follows:
•	N 5	2. The beneficial use on which	the claim is based Hausehold
		3. Date or approximate date of our the use has been	of earliest beneficial use; and how continues to the cont
w	E		
		4. The amount of groundwest	ter plaimed (in miner's inches or gallon
		17 -	Comment (in miners inches or gandi
	s	to which water has been	e the acreage and description of the land applied and name of the owner there
N.E. 1/11/48ec.39	T.22 R.2/		
Indicate point of and place of use, i small square repr	f possible. Each	tion of each well or other n	such water from the ground and the locaneous of withdrawal.
	•		J. Carry
7. The date of drawal of gr	commencement and comploundwater 73		the well, wells, or other works for wit
8. The depth of	water table /4/	~ .	
9. So far as it works for the	may be available, the type to the type type to the type type type type type type type typ	e, size and depth of each wel	l or the general specifications of any oth
***************************************	••••••	E .	

10. The estimate	d amount of groundwater	withdrawn each year	
	•	e drilling of each well if ava	A ()
		Committee of each wen it ava	
12. Such other i	book and page of any coun	ture as may be useful in car	rrying out the policy of this act, includ
			Α -
		Signature of (Owner Lloge W. Thorpson Date 12/26 163
			Date 19/26 163
	. 67. 33. 41		

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

A 482 1529,70 Thater Report Heorge A. Shompson The Public

3W.		Approved Stock Form_State Dubli	shing Co., Helena, Montana—42234
File No		1,	T 22 N R 21 V
DUPLICATE	ADMINISTR	TATE OF MONTANA ATOR OF GROUNDWATER COD E OF STATE ENGINEER	[U. B. P. P. I. I. P. I.
(1)	(Under Chapte	Vested Groundwater r 237, Montana Session Laws, 1961 , of Box 144 P (Address) State of Montana to the Montana laws in effect prior) STATE ENGINEER
	N	The beneficial use on which the cla	
w	3.	Date or approximate date of earlings the use has been Approx 36 Years	imate date 1930
		. If used for irrigation, give the a to which water has been applie	med (in miner's inches or gallons per minute creage and description of the lands d and name of the owner thereof
NW 1/4NW Sec. 3.5 Indicate point of and place of use, if small square repre	appropriation possible. Each	5. The means of withdrawing such tion of each well or other means on the contract of the contr	
drawal of gro	oundwaterApproxim	ate date of constructlo	ll, wells, or other works for with- n_1930. Electric pump
9. So far as it : works for thecasing	may be available, the type withdrawal of groundwater	The well is hand dug	e general specifications of any other and a twelve inch
		•	llons
12. Such other in reference to b	nformation of a similar nat	ture as may be useful in carrying	out the policy of this act, including
· - ·		***************************************	
Three conies to be	e filed by the owner with th		county in which the well is located

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

R12:3 163065 J. Robert & Betty J. Mayete to The Public

Filed on the 3 L day of A. D. 196 Zalle L. H. N. County Clerk and Recorder

By Deputy


•	30	v

County.

File No.

DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER



	LeRo	ame of	pp opristor	trm	υ	, of R. R. D. 1 (Address) State of Montane Montana laws in effect pr		Poleon (Town)
have ap	propriated	ground	water accord	ding to	the M	Iontana laws in effect pr	ior to Janua	ry 1, 1962, as follows:
·	N							
୍ଦ				2.	The be	neficial use on which the ok-watering, lawn	laim is based and gar	den watering.
				3.	Date o	r approximate date of ear	liest benefic	al use; and how continu
			E		cont	inuscualy since	thát da	te,
				4.		mount of groundwater c		•
-				-	ner mi	nute) 4,000		
				5.	If use	d for irrigation, give the	acreage and	description of the land
12418		s	. ·		4	ich water has been app the family lawn	and gard	en-less than a
ndicate p ind place o	point of	appropr	riation		**********	***************************************		
mice bynco'	of use, if	possible.	Each		m			4h a. a. 4h. la.
supa llam	of use, if are repres	possible. sents 10	Each acres.	6.	tion o	neans of withdrawing such	of withdray	ral
mall squà	of use, if are repres	possible. sents 10	Each acres.	6.	tion o	f each well or other means	of withdray	ral
mall squa 7. The draws	date of o	eents 10	acres. ement and c	ompleti i.115	tion of to	f each well or other means	vell, wells,	or other works for wit
mall square. 7. The	date of d	commenc	ement and c	ompleti i.115	tion of t	f each well or other means pressure pump. the construction of the vand 1953	s of withdraw	or other works for wit
7. The draws 8. The d 9. So fa	date of old of gro	commence undwater tab nay be a withdraw	ement and comment	ompleti i115 type, lwater	tion of to 221	f each well or other means pressure pump. the construction of the rand 1.953.	s of withdraw	or other works for wit
7. The draws 8. The dworks works	date of all of gro	commence undwater tab water tab may be a withdraw	ement and e	ompleti 1115 type, lwater	tion of to the size an	f each well or other means pressure pump. the construction of the rad 1953. d depth of each well or	s of withdraw	or other works for wit
7. The draws 8. The d 9. So fa works	date of old of ground of the state of the st	commence undwater tab nay be a withdraw None amount mations	ement and e	type, lwater wi	tion of to the 221 size an thickness thickness thickness thickness thickness the title of the ti	f each well or other means pressure pump. the construction of the rad 1953. In each year 1, 44,6 g of each well if available	the general s	or other works for with specifications of any other
7. The draws 8. The d 9. So fa works	date of old of ground of the state of the st	commence undwater tab nay be a withdraw None amount mations	ement and e	type, lwater wi	tion of to the 221 size an thickness thickness thickness thickness thickness the title of the ti	the construction of the value of each well or each year	the general s	or other works for with specifications of any other
7. The draws 8. The d 9. So fa works 10. The 11. The 1	date of old of ground of the control	commence undwater tab water tab withdraw Mone amount mations	ement and example a control of groundwine encountered	type, lwater wi in the	size an	the construction of the value of each well or each year.	the general s	or other works for with the specifications of any other works.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Rosi 167986

Matrie Report
Lehoy & & Darah Sturm
The Public

100 B. C. E. C. C.

TATE OF MONTANA

County of Lake,

Filed on the S.L. day of M. A.D. 1903 at S. Co. o'clock ... M.

County Clerk and Recorder

Towns Clork Was I (MO)/IC/

6/

Congo

	, M	Approved Stock Form—St	ate Publishing Co., Helena, Montana—42234
le No			T 22 R 21
JPLICATE			County
	1.7	STATE OF MONTANA	
	e's telefal	NISTRATOR OF GROUNDWATER OFFICE OF STATE ENGINEER	CODE TO THE STORY
	1	OFFICE OF STATE ENGINEER	
		of Vested Groundwa	
	(Under	Chapter 237, Montana Session Laws	, 1961) STATE ENGINEER
		To get	
H A	ward N. Inlow Name of Appropriate	or) , of (Addres	Polson (Town)
County of	Lake Lake	State of M	mtens
have appropriate	d groundwater acco	rding to the Montana laws in effec	et prior to January 1, 1962, as follows:
	N		
3			the claim is based domestic use
			irrigation
			of earliest beneficial use; and how continu-
	1-1-1	ous the use has beenste	ady since 1955x 1951
		4. The amount of groundwat	er claimed (in miner's inches or gallons
			er minute
		5. If used for irrigation, give	the acreage and description of the lands
	s		applied and name of the owner thereof
4 sec.36	2. T R		
Indicate point of and place of use, if	i appropriation	44,44	
small square repre	esents 10 acres.	_	such water from the ground and the loca
		tion of each well or other n	neans of withdrawalelectric pump
		************************************	***************************************
7. The date of	commencement and	completion of the construction of t	the well, wells, or other works for with
	oundwater		
drawal of gro		***************************************	·
drawal of gr			
drawal of gr	water table	25 ft. well is 108 ft.	deap.
8. The depth of 9. So far as it	may be available, th	e type, size and depth of each wel	l or the general specifications of any other
8. The depth of 9. So far as it works for the	may be available, the withdrawal of groun	ne type, size and depth of each well	l or the general specifications of any other
8. The depth of 9. So far as it works for the	may be available, the withdrawal of groun	ne type, size and depth of each wel adwater	l or the general specifications of any othe
8. The depth of 9. So far as it works for the	may be available, the withdrawal of groun	ne type, size and depth of each wel ndwater	desp.
8. The depth of 9. So far as it works for the	may be available, the withdrawal of groun	ne type, size and depth of each well adwater. 7 inch sixe	l or the general specifications of any other
8. The depth of 9. So far as it works for the	may be available, the withdrawal of groun	ne type, size and depth of each well adwater. 7 inch sixe	l or the general specifications of any othe
8. The depth of 9. So far as it works for the	may be available, the withdrawal of grounds amount of grounds ormations encountered	ne type, size and depth of each well in the drilling of each well if ava	or the general specifications of any other
8. The depth of 9. So far as it works for the 10. The estimated	may be available, the withdrawal of grounds amount of grounds ormations encountered	ne type, size and depth of each well in dwater	l or the general specifications of any other
8. The depth of 9. So far as it works for the 10. The estimated	may be available, the withdrawal of grounded amount	water withdrawn each year well if ava	t known.
8. The depth of 9. So far as it works for the 10. The estimated 11. The log of fo	may be available, the withdrawal of grounded amount	ne type, size and depth of each well adwater	t known. ilablenot presently available.
8. The depth of 9. So far as it works for the 10. The estimated 11. The log of fo	may be available, the withdrawal of grounds amount of grounds ormations encountered another than the same book and page of any	water withdrawn each well if ava	t known. The presently available. Trying out the policy of this act, including the state of th
8. The depth of 9. So far as it works for the 10. The estimated 11. The log of fo	may be available, the withdrawal of grounds of amount of grounds ormations encountered information of a similabok and page of any	water withdrawn each well if ava	t known. ilablenot_presently_available. rying out the policy of this act, including the state of the
8. The depth of 9. So far as it works for the 10. The estimated 11. The log of fo	may be available, the withdrawal of grounds of amount of grounds ormations encountered information of a similabok and page of any	water withdrawn each well if ava	t known. ilablenot_prasently_available. rying out the policy of this act, including
8. The depth of 9. So far as it works for the 10. The estimated 11. The log of fo	may be available, the withdrawal of grounds of amount of grounds ormations encountered information of a similabok and page of any	water withdrawn each well if ava	t known. ilablenot_prasently_available. rying out the policy of this act, including
8. The depth of 9. So far as it works for the 10. The estimated 11. The log of fo	may be available, the withdrawal of grounds of amount of grounds ormations encountered information of a similabok and page of any	water withdrawn each year	t known. ilablenot_prasently_available. rying out the policy of this act, including

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

R.1039
162996

Aoward N. Lulow
The Public

STATE OF MONTANA

County of Lake

Filed on the St. day of A. D. 1963 at 49.6 clock P. M

MAZEL KINNION - M.K.

County Clerk and Recorder Deouty

2 de

e No	***************************************	A	рріотец зіцек Form—State Publishi Ф	ny Co., Helens, Montana—42234
PLICATE			-	ounty.
LINGEL	AI	OFFICE OF STAT	CONTANA ROUNDWATER CODE E ENGINEER	DECETTED JAN 2 1964
	Declarat i	ion of Vested der Chapter 237, Monte	Groundwater Rana Session Laws, 1961)	Rightate Engineer
	J. P. Inles		RFD #1	Pollson,
}	(Name of Approp	· ·	(Address)	(Tgwa)
County of	ronriated groundwater	secording to the Mont	tate of	to January 1, 1962, as follows:
	N			_
	8	2. The benefit	tial use on which the claim	n is based
<u></u>		3. Date or ap	proximate date of earlies	t beneficial use; and how continu-
			e nas peen	
		E		· •====================================
		4. The amou per minute	nt of groundwater claim ap. 20 gal. pe	ned (in miner's inches or gallons
ļ				
	s	5. If used for to which	water has been applied	reage and description of the land and name of the owner thereo 22N - Hge 21N
4	Sec. 36 T. R.	**********	- ,	***************************************
nd place o	oint of appropriation of use, if possible. Each re represents 10 acres.	6. The mean tion of ea	s of withdrawing such wa	ater from the ground and the locs withdrawal electric pump
7. The drawal	date of commencement	and completion of the drilled	construction of the well, in 1945	wells, or other works for with
8. The de	epth of water table	80 ft. well is	125 ft-deep	
9. So far works	r as it may be available for the withdrawal of g	e, the type, size and d	/ inch hole -size	general specifications of any other
*********	**************************************			
			not know	3.
	1.5.	undwater withdrawn ea	ich year	***************************************
10. The ea	~			
10. The ea	og of formations encoun			
10. The ea	og of formations encoun	••••••••••		
10. The es	og of formations encoun	similar nature as may	be useful in carrying or	ut the policy of this act, includi
10. The es	og of formations encoun	similar nature as may f any county record	be useful in carrying or	not presently available at the policy of this act, including
10. The es	og of formations encoun	similar nature as may f any county record	be useful in carrying or	at the policy of this act, includi

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Abo Hater Report

De Public

County of Lake,

Piled on the 3.0 day of Piled A. D. 1963 at 3:450 clack

County Clerk and Recorder

By

Deputes

	Approved Stock Form—State Publishing Co., Helena, Montani—42234
e No.	
PLICATE	STATE OF MONTANA
	ADMINISTRATOR OF GROUNDWATER CODE 100 100 100 100 100 100 100 100 100 10
	Declaration of Vested Groundwater Rights
FR	(Under Chapter 237, Montana Session Laws, 1961) STATE ENGINEER
71, 72	Grey que of Telson Morel
County of	State of the state
have appropriated	groundwater according to the Montana laws in effect prior to January 1, 2, as follows:
H-MAT	2. The beneficial use on which the claim is based
مان	3. Date or approximate date of earliest beneficial use; and how continu-
2	ous the use has been from followy
	4. The amount of groundwater claimed (in miner's inches or gallons
	4. The amount of groundwater claimed imminers inches or gauons per minute)
	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
nd place of use, if po mall square represen	ssible. Each
	to 10 perces 6. The means of withdrawing such water from the ground and the loca-
adama volument	ts 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
manne volveden	its 10 acres. 6. The means of withdrawing such water from the ground and the loca-
7. The date of cor	tion of each well or other means of withdrawal
	tion of each well or other means of withdrawal
7. The date of cordrawal of ground	tion of each well or other means of withdrawal. numencement and completion of the construction of the well wells, or other works for withdwater.
7. The date of cordrawal of grounds. 8. The depth of wat	tion of each well or other means of withdrawal mmencement and completion of the construction of the well wells, or other works for withdrawar er table.
7. The date of cordrawal of grounds. 8. The depth of wat 9. So far as it may	nmencement and completion of the construction of the well wells, or other works for withdrawal. er table. y be available, the type, size and depth of each well or the general specifications of any other thdrawal of groundwater.
7. The date of condrawal of grounds. 8. The depth of wat 9. So far as it may works for the with	tion of each well or other means of withdrawal memercement and completion of the construction of the well wells, or other works for withdwater. The means of withdrawal memory with the construction of the well wells, or other works for withdwater. The means of withdrawal of the construction of the well wells, or other works for withdrawal means of the well withdrawal means of the construction of the well wells, or other works for withdrawal means of the well wells, or other works for withdrawal means of the well wells, or other works for withdrawal means of the well wells, or other works for withdrawal means of the well wells, or other works for withdrawal means of the well wells, or other works for withdrawal means of the well wells, or other works for withdrawal means of the well wells, or other works for withdrawal means of the well wells, or other works for which wells, or other works for which well well wells, or other works for which well well wells, or other works for which well well well well well well well wel
7. The date of condrawal of grounds. 8. The depth of wat 9. So far as it may works for the with	are table. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
7. The date of cordrawal of grounds. 8. The depth of wat 9. So far as it may works for the with the stimulation of the stimulat	tion of each well or other means of withdrawal. numencement and completion of the construction of the well, wells, or other works for withdrawal er table. y be available, the type, size and depth of each well or the general specifications of any other thdrawal of groundwater of groundwater and complete the specification of any other thdrawal of groundwater withdrawn each year.
7. The date of cordrawal of grounds. 8. The depth of wat 9. So far as it may works for the with the stimulation of the stimulat	tion of each well or other means of withdrawal. numencement and completion of the construction of the well, wells, or other works for withdrawal er table. y be available, the type, size and depth of each well or the general specifications of any other thdrawal of groundwater of groundwater and complete the specification of any other thdrawal of groundwater withdrawn each year.
7. The date of cordrawal of grounds. 8. The depth of wat 9. So far as it may works for the with the stimulation of the stimulat	tion of each well or other means of withdrawal. numencement and completion of the construction of the well, wells, or other works for withdrawal or table. The means of withdrawal withdrawal of groundwater withdrawal of groundwater withdrawal of groundwater withdrawal each year. The means of withdrawal withdrawal withdrawal of the general specifications of any other thorawal of groundwater withdrawal each year. The means of withdrawal withdrawal withdrawal of the general specifications of any other thorawal of groundwater withdrawal each year. The means of withdrawal withdrawal withdrawal withdrawal or other wells, or other works for withdrawal withdrawal withdrawal each well or the general specifications of any other thorawal or groundwater withdrawal each year. The means of withdrawal withdrawal withdrawal each well or the general specifications of any other thorawal each year. The means of withdrawal each well or the general specifications of any other thorawal each year. The means of withdrawal each well if available.
7. The date of cordrawal of grounds. 8. The depth of wat 9. So far as it may works for the with the stimulation of the stimulat	nmencement and completion of the construction of the well walls, or other works for other walls, or other works for other table. The means of withdrawal such walls, or other works for other
7. The date of eor drawal of grounds. 8. The depth of wat 9. So far as it may works for the with the stimated at 11. The log of forms. 12. Such other informations of the stimated at 11.	tion of each well or other means of withdrawal. numencement and completion of the construction of the well wells or other works for withdrawal dwater er table by be available, the type, size and depth of each well or the general specifications of any other thdrawal of groundwater of groundwater withdrawn each year. ations encountered in the drilling of each well if available. The means of withdrawal withdrawal and the location of the well wells or other works for withdrawal and the location of the well well are table. The means of withdrawal and the location of the well well wells are table. The means of withdrawal and the location of the well well wells are table. The means of withdrawal and the location of the well well are table. The means of withdrawal and the location of the well well are table. The means of withdrawal and the location of the well well are table. The means of withdrawal and the location of the well are table.
7. The date of condrawal of grounds. 8. The depth of wat 9. So far as it may works for the with the stimated at 11. The log of formation of the stimated at 12. Such other information reference to book the stimated at 15.	ation of each well or other means of withdrawal. Inmencement and completion of the construction of the well wells, or other works for withdrawal of groundwater. In the means of withdrawal withdrawal of the well wells, or other works for withdrawal of groundwater. In the means of withdrawal withdrawal of the well well or the general specifications of any other thdrawal of groundwater withdrawal each year. In the means of withdrawal withdrawal well or the general specifications of any other thdrawal of groundwater withdrawal each year. In the means of withdrawal withdrawal well or the general specifications of any other thdrawal of groundwater withdrawal each year. In the means of withdrawal withdrawal withdrawal withdrawal withdrawal withdrawal withdrawal withdrawal well if available.
7. The date of condrawal of grounds. 8. The depth of wat 9. So far as it may works for the with the stimated at 11. The log of formation of the stimated at 12. Such other information reference to book the stimated at 15.	tion of each well or other means of withdrawal. numencement and completion of the construction of the well walks or other works for withdrawal or table. The means of withdrawal withdrawal of groundwater of the well walks or other works for withdrawal of groundwater of the well or the general specifications of any other thdrawal of groundwater of the well or the general specifications of any other thdrawal of groundwater withdrawn each year. The means of withdrawal withdrawal or other well withdrawal or other works for withdrawal or other well or the general specifications of any other thdrawal of groundwater withdrawn each year. The means of withdrawal withdrawal or other well well or the general specifications of any other thdrawal of groundwater withdrawn each year. The means of withdrawal or other well well or the general specifications of any other thdrawal of groundwater withdrawn each year. The means of withdrawal or other well well or the general specifications of any other thdrawal or other well well or the general specifications of any other thdrawal or other well well or the general specifications of any other withdrawal or other well or the general specifications of any other thdrawal of groundwater withdrawn each year. The means of withdrawal or other well or the general specifications of any other thdrawal of groundwater withdrawn each year. The means of withdrawal or other well or the general specifications of any other well or other well o
7. The date of condrawal of grounds. 8. The depth of wat 9. So far as it may works for the with the stimated at 11. The log of formation of the stimated at 12. Such other information reference to book the stimated at 15.	tion of each well or other means of withdrawal. Inmencement and completion of the construction of the well walls, or other works for withdrawal of groundwater. In the means of withdrawal of the well withdrawal of the well walls, or other works for withdrawal of groundwater. In the depth of each well or the general specifications of any other thindrawal of groundwater withdrawn each year. In the means of withdrawal of withdrawal construction of the well walls, or other works for withdrawal or the general specifications of any other thindrawal of groundwater withdrawn each year. In the means of withdrawal walls, or other works for withdrawal.
7. The date of condrawal of grounds. 8. The depth of wat 9. So far as it may works for the with the stimated at 11. The log of formation of the stimated at 12. Such other information reference to book the stimated at 15.	tion of each well or other means of withdrawal. Inmencement and completion of the construction of the well walks, or other works four other were table. The means of withdrawal walls, or other works four other works four other works four other works four other works for any other thdrawal of groundwater for the general specifications of any other thdrawal of groundwater withdrawn each year. In the means of withdrawal withdrawal construction of the well walks, or other works four other works for the general specifications of any other thdrawal of groundwater withdrawn each year. In the means of withdrawal withdrawal construction of the well or the general specifications of any other thdrawal of groundwater withdrawn each year. In the means of withdrawal construction of the well or the general specifications of any other thdrawal of groundwater withdrawn each year. In the means of withdrawal construction of the well or the general specifications of any other thdrawal construction of the well or the general specifications of any other withdrawal or general specifications of any other withdrawal of groundwater withdrawn each year. In the means of withdrawal construction of the well or the general specifications of any other withdrawal or general specifications of any other
7. The date of condrawal of grounds. 8. The depth of wat 9. So far as it may works for the with the second and the second are second as a second as a second are second as a second as a second are second as a second as a second as a second are second as a second a	the 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. In mencement and completion of the construction of the well walls, or other works for the dwater. In the dwater withdrawing such well or the general specifications of any other thorawal of groundwater withdrawing each well or the general specifications of any other thorawal of groundwater withdrawing each well if available. In the means of withdrawing such walls, or other works for the dwater. In the means of withdrawal such as the location of the well walls, or other works for the dwater. In the means of withdrawal such as the location of the well walls, or other works for the dwater. In the means of withdrawal such as the location of the well walls, or other works for the dwater. In the means of withdrawal such as the location of the well walls, or other walls,
7. The date of condrawal of grounds. 8. The depth of wat 9. So far as it may works for the with the second and the second are second as a second are second as a second as a second as a second are second as a second as a second are second as a second as a second are second as a secon	tion of each well or other means of withdrawal. Inmencement and completion of the construction of the well wells, or other works found the dwater. The means of withdrawal withdrawal of the construction of the well wells, or other works found the dwater. The means of withdrawal withdrawal of the construction of the well wells, or other works found the dwater. The means of withdrawal withdrawal of the construction of the well wells, or other works found the dwater. The means of withdrawal withdrawal withdrawal of the construction of the well or the general specifications of any other thinkness of the well of the general specifications of any other thinkness of the well or the general specifications of any other thinkness of the well or the general specifications of any other thinkness of the well or the general specifications of any other thinkness of the well or the general specifications of any other thinkness of the well or the general specifications of any other thinkness of the well or the general specifications of any other thinkness of the well or the general specifications of any other thinkness of the well or the general specifications of any other thinkness of the well or the general specifications of any other thinkness of the well or the general specifications of any other thinkness of the well or the general specifications of any other thinkness of the well or the general specifications of any other thinkness of the well or the general specifications of any other thinkness of the well or the general specifications of any other thinkness of the well or the well or the general specifications of any other thinkness of the well or the well or the general specifications of any other thinkness of the well of the well or the well o

DUPLICATE



ADMII	STATE OF MONTANA NISTRATOR OF GROUNDWATER CO.	. DECEIVED
	OPTIOE OF STATE ENGINEER	4 W _{am} , 1964
Dedaration	of Vested Groundwater Chapter (287, Moreans (Seedon Dawn, 196	Right State Engineer
T/A	Chapter 2874 Moli Sanay Session Liaws 1190	and the state of t
(Name of Appropriate	of (Addissue	(Town)
Country of	State of Sta	
THE COURSE OF TH		
	2. The beneficial use on which the c	IAIM 18 DASSO
		liest penerical use and how continue
<u>, 1 26 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 </u>	OUB Life use has been	a frem belley
	4. The amount of groundwater cl	affied (firminer's inches or gallons
	per minute)	1
	5. If used for irrigation, give the	acreage and description of the llands led and name of the owner thereof
s ¼SecTR:⊴	William 3351 122 57 123 1	eu alle us alle owner alle so
Indicate point of appropriation and place of use, if possible, Each		
small square represents 10 acres.	The means of withdrawing such tion of each well or other means	water from the ground and the loca- of withdrawal
7: The date of commencement and drawal of groundwater.	completion of the construction of the y	vell wells or other works for with
wawa ul groundwater.	5 17	
8. The depth of water table	- J	
So far as it may be available, the works for the withdrawal of ground	ne type, size and depth of each well or indwater A ce h	the general specifications of any other
run off		
10. The estimated amount of ground	water withdrawn each year	wells found
11. The log of formations encountered	d in the drilling of each well if available	
12. Such other information of a simi reference to book and page of an	ilar nature as may be useful in carrying	g out the policy of this act, including
atta page of an		
FB 35 18 5	Signature of Owne	Date 2 9 4
of a control of the first figure of the first of the firs		
7 (10) (10) (10) (10) (10) (10) (10) (10)	Signature of Owne	

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

R147

163**9**90 R. B. Frey The Public

County of Lake,
Filed on the 3! day of Call
A. D. 196 3a(2) I o'clock
HAZLLI BLINDALLA
County Glerk and Recorder
By C. Surman Deoub

THE REPORT OF THE PARTY OF THE

County Lake Twp. 22 N. Rge. 20 W.

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks	
	01 : 01 8454	GWY	162913		
	Chrisman, Allen B. & Extra	GW3	(6300)		
-	Blackenhora, C.E. & Seifert, Carl	GNY	163118		
3	Brown Henry	CW3	162792		
á	Howell L	1957 Well Lay	152961	1	
2	Mushal Gerald etal	GW40	163048		
2	Rose Harry K.	GWZ	190882		
a	Smart George W. & Julia	GWZ	189 134		
2	Young Donald W. Miller, H	1			
-	Platt. Charles & Bishop,	1 17			
		GWZ	185703		
3	Fulton Roma L.	GW3	160718		
3	White Clinton & Josephine	GWY	160231		
5	Bollan, Frona R.	GNIZ	167027		
5	Jorgenson, Enna M.	GWY	161279	,	
5	Mc Neil Charles & JOAnn	GWI	210470		
5	Ma Neil, Cha-ks & JoAnn	GW 2	210471		
7	James Les er L & Mary	GW3	162 484		
8	Bailey, James D. & Lovie	GWZ	209562		
18	McChrdy Keith W.	GWZ	117772		
8	Sharples, Harry	GWZ	202756		
8	Megner, Ruben S.	GWZ	161911		
9	Haylovick, Paul	GW3	162 437		
19	Religious Hospitallers of 5	LIND Agreet.	100890	· · · · · · · · · · · · · · · · · · ·	
19	Tower, Harold E	GNY	163038		
	Claffey, E.C.	1957 Well	0g 143063		
10	James Lumber Co.	GWZ	163645		
	Polson, City of	GWY	163160		
11	Brubabor Charles & Marth		165780	,	
	Robinson, Anthur E	SWY	163052		
11	Truster, A.V.	GWZ	201421		
15		GWZ	170357		
قلا	2 Cass, Elmore	GWY			
ق ا	2 Johnson, Keith	CM3	180810		
11	2 McGictin, Clinton & Elis	EWS Atol	196801		
	2 Schafen, Richard & Ca				
13		- GMS			
	4 Fritz, H. Gladys	GWY	185591		
1.	8 Harris, Elma & Carl	- CWY	162621		
<u>a</u>	3 Caffrey, C.E.	- CM3			
	Hern, D.A.	GWY			
	5 Butt, Altred	- GMY	163099	ļ	
l g	5 Fleming, Paul	- CMY	160650		
3	9 Scifert, Harold & Joan	CMA	161054	 	
13	O Benfit, George I.	1 GMY	162615	<u> </u>	

GROUNDWATER INDEX

Page 2 of 2

County Lake Twp. 22 N. Rge. 20 W.

Name of Appropriator	Type of Form	County File No.	Remarks
Patterson, Walter Burke	· GW4	163140	
·	GWZ	183188	
	GW4	169138	
Milner, Lena E. & Raymond W	GWY	162613	
Rose Veiner R.	GVVY	162649	
	GNY	162614	
Showmaker Richard & Botty	GWY	162524	
	GWZ	1200054	
Reiner John & Lois	GWZ	163930	
Vermedahl, Walt	GW 2	181946	
Beus, Wayne J.	GW 3	195 334	
Ellerwood Mike	GWZ	197250	
Gill Michael	GWZ	187352	
Gill Michael & Ruth	GWY	162962	
	1957 Well Los	152965	
	GWI "	303014	Filed in NOGW-25
Hall Willian	GWI	194613	11 11 11 11
Schauss Carl's Dennesse	GWA	194128	
	1957 Well Log	152143	
	GNU		T. 23 N - R 20W
1 '	GWY	1	1
	11	11	
	11	11	-
	`		.,
			
	Patterson, Walter: Butes Shannan, John Bulker, Winston; Mildred Milner, Lena E; Raymond W Rose, Veiner R. Milner, Lena E; Raymond W Shanmaker, Richard: Botty Danielson, Carl R. Reiner John; Lois Vermedahl, Walt Beus, Wayne J. Ellenwood, Mike Gill, Michael; Ruth Hall, Milliam Hall, William Hall, William Schauss, Carls Dennese Garcia, Mrs. Schauss, Carls Dennese Christofferson, I. D. Perry, R. L.	Patterson, Malter & Borbers GINY Shannan, John Buker, Winston & Mildred GWY Milner, Lena E. & Raymond W GWY Rose, Veiner R. Milner, Lena E. & Raymond W GWY Shannaker, Richard & Betty Danielson, Carl R. Wernedahl, Walt Beus, Wayne J. Ellenwood, Mike Gill, Michael GWZ Gill, Michael FRuth GWY Hall, William Hall, William 1957 Well Loe Garcia, Mrs. Schauss Carl & Danese GWZ Christofferson, J. D. Penry, R. L. 11	Patterson, Malter Broke GINY 163140 Shannon, John GW 2 183188 Buller, Winston & Mildred GW 4 162438 Milner, Lena E. & Raymond W GW 4 162613 Rosa, Veiner R. GW 4 1626149 Milner, Lena E. & Raymond W GW 4 1626149 Milner, Lena E. & Raymond W GW 4 1626149 Milner, Lena E. & Raymond W GW 4 1626149 Milner, Lena E. & Raymond W GW 4 162524 Danielson, Carl R. GW 2 200034 Reiner John & Lois GW 2 163930 Vermedahl, Walt GW 2 181946 Beus, Wayne J. GW 2 18334 Beus, Wayne J. GW 2 18334 Ellenwood, Mike GW 2 187362 Gill, Michael & Ruth GW 4 162962 Gill, Michael & Ruth GW 4 162962 Gill, Michael & Ruth GW 1 194673 Hall, William 1957 Well Log 162965 Hall, William GW 1 1941673 Schauss Carl & Danese GW 2 194128 Garcia, Mrs. 1957 Well Log 162143 Rathbum, D. Gw 4 162328

	Approved Stock Form—State Publishing Co., Helena, Montana—42234.
	Approved Stock Form—State Publishing Co., Helens, Montans—4214
e No	。
PLICATE	County Lake
Declara	ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER OFFICE OFFICE OF STATE ENGINEER OFFICE O
	STATE ENGINEER
Allen B. & Esther Ch	orisman of Meredosia, Illinois (Town)
County of Lake	State of Montana
have appropriated groundwate	r according to the Montana laws in effect prior to January 1, 1962, as follows:
s 2. 1/SW Sec. 1. T 22N 120W Indicate point of appropriation In	n h s. 6. The means of withdrawing such water from the ground and the loca-
man advers represents to self	tion of each well or other means of withdrawal Electric motor & pump set over the well
7. The date of commencemen drawal of groundwater 8. The depth of water table 9. So far as it may be availa	t and completion of the construction of the well, wells, or other works for with-
7. The date of commencemen drawal of groundwater 8. The depth of water table 9. So far as it may be availa works for the withdrawal of	t and completion of the construction of the well, wells, or other works for with- February 8,1960 4.6" to the top of the water in the well from the surface. the type, size and depth of each well or the general specifications of any other is groundwater. 177 feet dee p with 6" welded casing.
7. The date of commencemen drawal of groundwater 8. The depth of water table 9. So far as it may be availa works for the withdrawal of	t and completion of the construction of the well, wells, or other works for with-February 8,1960 4.60 to the top of the water in the well from the surface. the type, size and depth of each well or the general specifications of any other groundwater. 177 feet dee p with 60 welded casing.
7. The date of commencemen drawal of groundwater	t and completion of the construction of the well, wells, or other works for with- February 8,1960 4.6" to the top of the water in the well from the surface. the type, size and depth of each well or the general specifications of any other is groundwater. 177 feet dee p with 6" welded casing.
7. The date of commencemen drawal of groundwater	t and completion of the construction of the well, wells, or other works for with- February 8,1960 4.6" to the top of the water in the well from the surface. the type, size and depth of each well or the general specifications of any other is groundwater. 177. feet. dee p with 6" welded casing. Troundwater withdrawn each year 2 million gallons per year. untered in the drilling of each well if available. a similar nature as may be useful in carrying out the policy of this act, including of any county record.
7. The date of commencemen drawal of groundwater	t and completion of the construction of the well, wells, or other works for with- February 8,1960 4.6" to the top of the water in the well from the surface. ble, the type, size and depth of each well or the general specifications of any other if groundwater 177 feet dee p with 6" welded casing roundwater withdrawn each year 2 million gallons per year. untered in the drilling of each well if available. a similar nature as may be useful in carrying out the policy of this act, including

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

R642 165913 Hater Report Ollen B. Chrisman The Public

STATE OF MONTANA!

County of Lake,

Filed on the 30 day of the A. D. 1963 at 1.4 to clock. P.M.

HAZEL KINDLES

County Clerk and Recorder

To Dopute

MUNICIPAL IMPUSTRIAL WELLS DOMESTIC IRRIGATION

BUPAN HOUSE AND STREET SOUTH OR OF PRINTING ASSESSMENT ON SEC.
PRINTING ASSESSMENT ON SEC.
PRINTING ASSESSMENT ON SEC.
PRINTING ASSESSMENT OF SEC.
PRINTING ASSESSMENT OF SEC.
PRINTING ASSESSMENT OF SEC.
PRINTING ASSESSMENT OF SEC.

A.B. Chrisman c/o Norin T. Johnson

WELL LOG. WELL LOCATED AT SOUTH SIDE OF FEED LOT ON A. M. FARM SOUTHBAST OF POLSON, MONTANA.

FORMATIONS LOG:

0 - 8 Black dirt

5 - 75 Tan silty olay 73 - 76 Very fine gray band. Wet.

Tan sandy clay. Some scattered gravels imbedded. Fine sand and gravel in gray silt. Some water.

129 - 132

Tan silt 132 - 133

133 - 142

Fine sand and gravel in gray silt. Some water. Sand and gravel imbedded in tan silt. Wet. 142 - 149

Pine sand and gravel in gray silt. Some water. 149 - 156

156---168 Ter clay

Brown sand. Some water. 162 - 165

Brown sand, gravel and tan silt. Some water. 163 - 170 170 - 175

Gray sand, source gravel and some silt. More water.

Coarse gravel, some tan silt. Good water supply, but silty. 175 - 177

Clean coarse gray sand, Good supply of clean water.

CASTING LOGI

Well cased from top to bottom with six inch inside diameter standard water well casing. All joints welded. Forged steel drive shoe welded to bottom of casing string.

WATER LOG:

Weak supply of sandy, silty water from 129' to 170'. Good supply of very silty water from 170' to 177'. Very good supply of clean water at 177'. Well produced over 60 gallons per minute, with an air lift, on a seven hour test. Static water level at completion of development work was 416" from ground level.

DUPLICATE

File No.

County La Ké

ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

DECEIVED

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

	Date of Appropriation of Groundwater
	Owner R. H+LL MCAIFIN Eureka, Mont
	Contractor (if any)
	Address of Contractor
	Date Started
3	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	water when applicable SPYINGS FOR STOCK
	water and sub-irrigation.
	Depth-2 feet to 8 feet
	: 1- Bug Well-8 toot deep.
	Three springs
	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent
	estimate approximate lengths of periods of use
NW4 Sec. 1 T22 R20	
Indicate point of appropriation and place of use, if possible.	per sécond.
?	
	BHMcafin
	Signature of Owners L. L. Mc alpin
	Date Dec. 24, 1983
	A (CC) Albamaisa by the arman

This form to be prepared by contractor (if any), otherwise by the

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Pholosof Water Report R.H.+ J. M. Alpin To The Purlic

STATE OF MONTANA

County of Lake,
Filed on the St. day of Me

A. D. 1981 Satt of 6'clock M.

County Clerk and Recorder.

By

DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER



			Deciara (1	Inder Chapt	ter	ested Groundwate 237, Montana Session Laws, 1	961)		
Ge 1. Ri	reld M chard	W. Cave	lar, Al	(. Johnson Lem Coates	3	, of Rt 1 (Address)			ENGINEER Polson (Town)
Cour	ntv of	Lake	154.44			State of Kor	stana		
have	approj	oriated g	roundwate	r according	to	the Montana laws in effect p	rior to Ja	nuary 1,	1962, as follows:
		N							
				;	2.	The beneficial use on which the Domestic			
							***************	·······	
					3.	Date or approximate date of ea			
						ous the use has been			
*		: 		E		***************************************			
ļ					4.	The amount of groundwater	claimed (i	in miner'	s inches or gallons
}	ļļ					per minute) 200 Gals			
ļ	<u> </u>					***************************************			
, L	<u>. </u>		1 1		5.	If used for irrigation, give th	e acreage	and descr	ription of the lands
THIS	INCLUDI SEIFE	ES LOTS	1,2,3 4	: 5		to which water has been app	_		
			22. R 20 .			***************************************			
Indica	te poin	t of ar	propriatio	n .					
small	square	represen	sible. Eac ts 10 acre	9 . .	6.	The means of withdrawing su			
*Lo	ts 2	and.	30/7	م م		tion of each well or other mean			
سعك	fut	Loci	PU						
7. d	rawal o	f ground	iwater	••••••	•	on of the construction of the			
8. T								-	
W	vorks for	the wit	hdrawal of	groundwate	er	size and depth of each well or	.223.1. de	p	
•-	While.		-	•		18" of land surface			
									•
•		*****		***************************************					
10. 7	The estir	nated an	nount of g	roundwater	wi	thdrawn each year 4.000.	000 gals		
11 5	The los	of forms	tions anco	in forestari	he	drilling of each well if availab	Ja		
						county courthouse			
	••••	······································							
,		*************	********	***************************************		***************************************			~~ ~~
						re as may be useful in carrying record			of this act, including
	/		n =	~ <i>n</i>	•••••	0100			
	Derc	IS)_	Mu	all	Ü	Rehard Carala	し		
	-		•		_	Signature of Own	ier		· · · · · · · · · · · · · · · · · · ·
				,	•		Date	ecember	- 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

24208

STATE ENGINEER Address Poleon, Montana 163048 Water Report Jerald Mushel o Date Completed October 1,1960 MONTANA BUREAU OF MINES AND GEOLOG好,是 [] WE JAN 6 1954 Address. Missoula, Montana (Churn drill, rotary, other) Irrigation Churn Dr.111 County... ...Equipment used..... WATER WELL LOG September 23,1950 705 Alder Municipal [Drainage 223 t...6" Owner Carald Maskel (Dug, driven, bored, or drilled) Oriller. Date Started... Location: Sec. 1 above ground lavel Water use: Domestic Drilled Type of well.

Se of all and another court

		County	
	and the state of the state of the	1. N. A. 17 (2.1. 1)	100 mm
MONTANA	BUREAU OF MINE Butte, Montana	S AND GEOLOGY	DECEIVED

WATER WELL LOG

	Owner Carald M	ushel	Addres	STATE ENGINEE	ER
	Glenn Jan Driller	705 1140		400	
	Date Started	p tember 23,1 960	Date C	ompleted October 1.19	960
	Location: Sec	T.	R ¼ sec	The state of the s	
ppe of well		Equip	ment used		
Water use: Domestic	(Dug, driven, bored, or	armed)	Stock [Irrigation	:
Industrial	nd level 223	rainage Sea		6"I.D.19 lbs to for	
Zasing:					
Casing:					
		• • • • • • • • • • • • • • • • • • • •		to ft	
Static Water level, for				×	
	501	200		(date)	
Compre	anor			gal. per min	
How tested: 4 hour Length of test	·9				
Remarks: (Gravel pa	cking, cementing, p	packers, type of sh		-off)	
	***************************************			······································	••••••
***		************************************			
9 -		(over)			



Log	οř	Wel

Depth,		Description of Material Drilled
From	To	
0	64.	
61.	91	olar - Communication (Communication)
9,	781	sand with some water
781	981	Sandy Clay
981	1141	gravel, sand and clay, some vater but would not clear up.
1141	1261	tight gravel sandy olay
1261	165'	eandy oley
1631	1651	Sand sgravel, nome clay, water would not clear
165	1671	Sand
167	170'	sandy clay, arawel, mome water, would not clear up
170	1971	Sandy clay and gravel
197	1991	Send, gravel, oley with water would not clear up
1991	2151	Eand and olay
2151	2168	Sand
2161	222*	clean sand and gravel with water
2221	250	Clay ,gravel ,no water
		
	Ī	
	1	
	İ	

File No. DUPLICATE STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER Declaration of Vested Groundwater Rights ATE ENGINEER (Under Chapter 237, Montana Session Laws, 1961) 1D.D.Rathbum, J.D.Christofferson, R.L.Perry, of Rt 1 Polson (Address) (Town) (Name of Appropriator) Lake Montana State of... County of. have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows: 2. The beneficial use on which the claim is based.... Domestic 3. Date or approximate date of earliest beneficial use; and how continuous the use has been April, 1962 continous use 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 500 gals per min If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Lot 12. Block 1, Slack Villa and Orchard Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal..... 2 HP Turbine Pump The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater April 1962 8. The depth of water table2451..... 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater..... 7" steel casing, Flowing well, 245! Deep 11. The log of formations encountered in the drilling of each well if available..... Log on record at Lake County Court House

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Well located on lot 12 Block 1, of Slack Villa and Orchard Tracts.

according to the map or plat thereof on file in the office of the Clerk and Recorder of Lake County, Montana

ake County, Montana

Signature of Owner.

December 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

R144 163087

STATE OF MONTANA!

County of Lake,

Filed on the 2 Law of Lee

A. D. 19 & Jan 24 30 clock M

HAZEL KINNICK M

County Stepy and Recorder

Ru G. Ownan

Depart

1

v 2 , ₁		Approved Stock For	rm—State Publishir	ng Co., Helena, Montana 430	642
le No	MONTANA WATER RESOURCE		T 2	2N $^{+}_{ m R}$ $^{-}$ 20W	ر/د
JPLICATE	RECEIVE	S BUARD	Coun	Lake /	//
			1.00	经条款抵益 化产品分类的 医皮肤的	~ K
and the second s	1906	ADMINISTRATOR	OF GROUN F STATE E	DWATER CODE	<i>((((((((((</i>
Top of Ground			A PROTATION		
(Elev. above sea				f Groundwa	
Formations	Logi			eanszof Well UARY 1, 1962-	
_ 0 - 1	lack dirt	(Under Chapter 23)	The Paragraphic and Company		
1 - 18	gravel.	A W VANDO	Hawwe Mil	110m	son,
	Gravel im- bedded in tan Owner Charl	Les Platt & C	harlasda	Bishep Mor	itana.
	clay. Sand and Drille Liber	rty Drilling	Co. Addre	_{ss} Missoula _í)	iontans.
	gravel. Date of Notice	e of appropriation of	of eroundwat	er None filed	
	_9				
_ 37 - 82	Fine brown Date Well sta	Salah Marik Villa		completed 7/18/	
	sand & some $_{ ext{Type of well}}^{ ext{Type of well}}$	Drilled ug, driven, bored or d	Equipm	ent used Cable (Churn drill, ro	rools tary or other)
	Brown sand Water use:	Domestic 🔼	Municipal [☐ Stock ☐ I	aggitting in the late
7	tan silt.	Industrial 🔀	Drainage [<u> </u>
	met with in	drilling, such as soi	l, clay, shale,	l thickness of the dif gravel, rock or san	d, etc. Show
98 - 103	Sand, gravel strata and he	ich water is encount eight to which the w		ss and character of w the well.	ater-bearing
-	& some tan clay. Silty Size of	Size and From	m To	PERFORATIO)Ma
	water. Drilled	Weight (Fee of Casing	t) (Feet)	Kind From	To
	Clean coarse gravel. Water. 6"	6 5/8"		Size (Feet)	(Feet)
106 - 108	Tan clay &	OD x 1/4" +2	108	NONE	
	gravel mixed.		}		
Water ries	s in the well				4.
52'6" from			}	1	
 	Indicate lo place of us small squacers. duce class they pumped of the USE—If u num tion	c2. T22N R.20N cation of well and e, if possible. Each are represents 40 car sand free at rates not tosted capacised for irrigation, ber of acres and loo.	Shut-in Pro Pumping V at 1 Discharge How Tester Length of Remarks: er, type of the op casing can be water v in exces ty of the industrial, deation or othe	water Level	rell Non-f. It feet ninute. flowing well n-flowin well nenting, pack-ter enter through six inch this area on to program as lon reverse side ock and Addi-NEW and
Show exact d				20W MPM, La	ke County
	f hole 108	acres more o	r less.	·	
		hy the comes with 11		52	
County Clerk and Recorder	by driller, and three copies to be filed in the county in which the well is lo			er's License Number	^ت ۸ ۸
retained by driller. Please answer all questio returned.	ns. If not applicable, so state, other	rwise the form will b	e <u>[j]</u>	er's Signature.	Oalbor

44,522

C reduction C state पित्रों क्षान में का स्थान होटेट नेहरू के प्रत्योंना करते. यह बहुने पूर्व देशकार है। जिस्सान के प्रत्यों के प्रत्योंने करते के प्रत्योंने के प्रत्योंने के प्रत्योंने के प्रत्योंने के प्रत्योंने क 是精神的战争,这种政策,是这个人的现在分词是 (Charle fight senses in spent) The state of the s A STATE OF THE STA S 703 SECURIOR STOCKES Butter on the Baltimore of the Control The first of states of states and states are supplied to the states of states and states are states are states and states are states Dangah B. Handalor o herea o korakandinga **9**12778 (5) TOWN THE BOTTON THE SHIP M Strong of Trade . Coperate Top and the sear CT 解析数 电影片无线线 n's boundary A CARY OF · 1000年 · 1000年 Agen shoup 30 Minus 新花物 "数据" 小小小村子 一日 一日 State go C 1979m (Mich whose own world) Ray de tapate 10 have of theory DATE: 12 CHARLE

ile No	***************************************	T 22N R 20W
UPLICATE	AAONTANA V	WATER RESOURCES BOARD County Lake
	LOG RE	CEIVED STATE OF MONTANA
		ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER
	Approx.	Notice of Completion of Groundwater
_ ("	lev. above sea level 2900 (Appropriation by Means of Well
_ Po:	mations Log:	DEVELOPED AFTER JANUARY 1, 1962
) - 2 Black dirt.	(Under Chapter 237, Montana Session Laws, 1961)
- 1	2 - 14 Tan clay & boulders.	George W &
- 1	i - 35 Gravel imb-	Owner Julia L. Smart Address Polson, Montana
	bedded in tan clay	Driller Liberty Drilling Co. Address Missoula, Montans
- 3	5 - 76 Tan sandy. silty clay.	Date of Notice of appropriation of groundwater None filed
7	6 - 92 Gravel mixed	Date well started 4/25/65 Date completed 4/30/65
	with tan silt	
9	2 - 120 Sandy gravel.	Type of well Drilled Equipment used Cable Tools (Dug, Driven, bored or drilled) (Churn drill, rotary or other)
7	Some silty	Water use: Domestic 1 Municipal Stock Irrigation
12	0 - 140 Tan silt with	Industrial ☐ Drainage ☐ Other ☐ Indicate on the diagram the character and thickness of the different str
	some gravel	met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. St
	Some silty	depth at which water is encountered, thickness and character of water-bear strata and height to which the water rises in the well.
14	e = 146 Rine brown	Size of Size and From To PERFORATIONS
	gand. Water.	Drilled Weight (Feet) (Feet) Hole of Casing Kind From To
	6 - 158 Gravel imbedd in tan clay.	ded Size (Feet) (Feet)
_ 15	8 - 160 Clean coarse	OD x 4" +11 160 NONR
	gravel. Water	
	ter rises in the well	
T)	se flow over top of	
- °	sing.	N Static Water Level for non-flowing
-	65	Flowing
		Shut-in Pressure for Flowing Well91
- 1		Pumping Water Level20
-		w at gal. per minute.
-	S C	Discharge in gal. per min, of flowing
 -		How TestedAiri.ftPump
-		Length of Test Pour hours
H .	American Company	NW corner 15t 14 Remarks: (Gravel packing; cementing, p
 "		ers, type of shutoff)All water end
- 	·	Indicate location of well and place of use, if possible, Each of six inch casing.
 - 		small square represents 40
		acres.
-		(Continue on reverse
-		USE-If used for irrigation, industrial, drainage or other. Explain,
-		number of acres and location or other data (i.e.: Lot, Block and I tion).
	WG A T A T	
	Show exact depth of bottom.	
_	ottom of well 160'	

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's Signature

45,317

AM SIPE TRACLITUT 1250 041 at 600cdp 000mb homogic in 40.2. 1972 Level non procta resid CONTROL SANTANA CONTROL CONTRO Of all afternoon of the preparation STATE STATE OF STATE Commence of a little decountry reconstruction of the soliday The second of the second of Mel. Best and the standard and the same of the nel i eleural fataa ursojavad THE PARTY OF STREET, SALE DO MINISTER! Hear subsequences of beneforcing about Cambia Cada W. paigma T. मिलक कांग्रेसकोट के अधि केन जेन्द्र जन्म का अध्यक्षित The Total Control of the State Mainteley, (Agavel parking, Sconnibling, pask-The same of the same of the same County Clerk and Theory Laborite 1984 Julius

10000

3.

W 2	3 ° 1.3	ONTANA WATER RE	SOURCES BOAT	Stock Form—S	tato Publishin	g Co., Helena, Montana 123	29 399
ile No.		MAR 3		30 30	T. 27	r R 21y	Ψ/
OUPLIC	ATE			amama A	Coun F MONT	ty Lake	
1	LOG Top of Ground		ADMINISTR	ATOR OF		DWATER CODE	
	Approx. (Elev. above sea level 3000					f Groundwat	ler :
-	Pormations Log:			Access to the second of the contract of	11.00	eans of Well WARY 1, 1962	
	0 - 2 Black dirt. 2 - 35 Tan sandy	(Under Chapt	ter 237, M	ontana S	ession Laws, 1961)	
	clay. Some gravel mixed	OwnerHaz	ry K. Ros		Addre	ss Polson, Mon	tena
-	in. 35 - 46 Brown sand	DrillerL.b.	erty ort	lling C	9.Addre	88 Missoula, M	omtona
-	imbedded im	Date of Notic	e of appropr	iation of g	groundwa	ter None filed	
		erbate well star	rted. 11/22,	/68	Date	completed12/7/6	8
-	gravel. 51 - 56 Brown silty		l. Drilled			ent used.CableT	
 	sand. Seeps of water.	Water use:	Domestie	Mun	icipal 🔲	Stock Irr	1.4
	56 - 77 Brown sand 8 gravel imbed	- indicate		m the cha	racter and	thickness of the dif	
-	ded in tan silt. Seeps	mer with the	ch water is en	icountered	l, thicknes	gravel, rock or san s and character of v the well.	
	77 - 94 Coarse grave	. Delined	Size and Weight	From (Feet)	To (Feet)	PERFORATI	ons
-	94 - 107 Brown silty		of Casing			Kird From Size (Feet)	To (Feet)
	sand. Silty water.	6"	6 5/8" OD x 3"	+116"	113	NONE	
_	107 - 110 Coarse grave & some tan	clay.					
-	Silty water 110 - 113 Clean grave	1.					
	Clean flowi.	ng water.	N	1	tatio Wal	ter hevel for non-	flouring wa
and delice to	A straight of the control of the con		$\neg \neg$	7		and the state of the second speed and second	wingfee
-	•	1 1	1 i				OT 11 A
						ssure for Flowing \	7 - 1
		w			umping \	essure for Flowing \\ Vater Level \(\mathbb{Lree} \)gal. per mi	£lowfe
	Water rises in the we free flow over top of			E P	umping \ at 30 -	Vater Level free gal. per min in gal. per min. of	flowing we
				E I	dumping \at 30 Discharge	Vater Level£reegal. per min in gal. per min, of	£low femute. flowing we
	free flow over top of		S	E I	umping \at30 Discharge Low Tester Longth of	Vater Level. free gal. per min. of 	£low fee nute. flowing we 50
	free flow over top of		м	F I	at30 Discharge Low Tested Longth of Romarks:	Vater Levelfreegal. per min. in gal. per min. of	flow feed nute. flowing we so that the sound in the soun
	free flow over top of	5E. 14.11w S. Indicate 1c	ec. Z T. 22	F F F F F F F F F F F F F F F F F F F	at30 Discharge Low Tester Longth of Remarks:	Vater Level. freegal. per min in gal. per min. of lAirLftF TestRourhou (Gravel packing, ce f shutoff) All	flow fee nute. flowing we so the flowing we so the flowing we so the flowing menting, page atter entity for the flowing from the flowing flow
	free flow over top of	5 E 1/4 NW So Indicate lo place of us	ec. 2 'r. 22"	R 20 L I I I I I I I I I I I I I I I I I I	at	Vater Level. freegal. per min. in gal. per min. of	flow fernute. flowing we so the following we so the following we so the following we so the following pacture of the following
	free flow over top of	SE VINWS. Indicate lo place of us small squ acres.	ec. 2. T. 22 ceation of wel se, if possible. are represent	R.Z.O. Il and in Each outs 40 we	at36. Discharge low Tester congth of Comarks: ers, type of pen bot call gr ix inc	Vater Level. free	flow fernute. flowing we so the second seco
	free flow over top of	SE MINUS Indicate lo place of us small squ acres. cement	ec. 2 T. 22. ceation of welse, if possible, are represent	R 20 Ll and i Each outs 40 kg	at36 Discharge How Tested Length of Remarks: Lers, type of Length of Len	Vater Level. free	flow fernute. flowing we so.
	free flow over top of	SE 1/4 NW Se Indicate lu place of us small squ acres. cement flow.	ec. 2 T. 22. Deation of wellie, if possible. are represent on outside	R.20 in the street of the stre	at36. Discharge Low Tester Longth of Remarks: Lors, type of mg. well pen bot lix inc. Lustrial, d	Vater Level. free	flow fee nute. flowing we so the following we so the following we so the following we so the following following following following feet feet feet following feet feet feet feet feet feet feet fee
	free flow over top of	SE VANW So Indicate le place of us small squares. cement flow. USE If the num tion	ec. 2. T. 22. ceation of welse, if possible. are represent on outsid used for irrigither of acres a).	R 20 in	at	Vater Level free gal. per min in gal. per min	flow feenute. flowing we so the second seco
	free flow over top of	SE VIWS Indicate to place of us small squ acres, cement flow. USE If u tion Let 19 plat t of the	ec. 2. T. 22. ceation of welse, if possible. are represent on outsid ised for irrigither of acres a). of Seife hereof on	R20 il and i Each ots 40 e of s	at36 Discharge Low Tester Length of Remarks: Lers, type of Length of Len	Vater Level free gal per min in gal	flow feenute. flowing we so the following we so the following we so the following we so the following following following following following feet following following feet feet feet feet feet feet feet fee

45,783

3W 2		Approved Stock Form—State Publishing Co., Helens, Montants—1238.
File No		WONTAHA WATER RESOURCES BOARD
DUPLIC	3	RECEIVED County Lake
	Tog	STATE OF MONTANA CODE
	Top of Ground	OFFICE OF STATE ENGINEER
<u>. E</u>	(Elev. above sea level 3000	Notice of Completion of Groundwater
	Formations Log:	Appropriation by Means of Well DEVELOPED AFTER JANUARY 1, 1962
	0 - 2 Black dirt.	(Under Chapter 237, Montana Session Laws; 1961)
	2 - 35 Tan sandy	(Onder Onapier 201, Indicalla Session Laws, 1301)
-	clay: Some gravel mixed	Owner Harry K. Ross Address Polson. Montana:
	in: 35 - 46 Brown sand	Driller Liberty Drilling Co.Address Missoula; Montana
	imbedded in tan silt.	Date of Notice of appropriation of groundwater. None filed
	Seeps of wat	erDate well started 11/22/68 Date completed 12/7/68
.	gravel. 51 - 56 Brown silty	Type of well Drilled Equipment used Cable Tools (Churn drill, rotary or other)
- -	sand. Seeps	Water use: Domestic Municipal Stock I Irrigation
	of water. 56 - 77 Brown sand &	Industrial Drainage Other D
	gravel imbed ded in tan	met with in driffing, such as son, eray, share, graver, rock or saind, etc. Shov
	silt. Seeps	depth at which water is encountered, thickness and character of water-bearing of atrata and height to which the water rises in the well.
_	water. 77 - 94 Coarse grave	1 Size of Size and From To PERFORATIONS Weight (Feet) (Feet)
	Silty water. 94 - 107 Brown silty	Hole of Casing Kind From To
_	sand. Silty	6" 6 5/8"
-	water. 107 - 110 Coarse grave	0D x %" +1.6" 113 N O N E
-	& some tan o	lay.
-	Silty water.	•
· -	Clean flowing	g water.
	44	N Static Water Level for non-flowing we
	• .	Shut-in Pressure for Flowing Well.Q1bg
		Pumping Water Level free flow fe
		w at gal. per minute.
_	Water rises in the well free flow over top of	Discharge in gar. per min. or nowing we
 -	casing.	30
-		How Tested
H		s Remarks: (Gravel packing, cementing, pac
-		
一		Indicate location of well and ins well is coming through place of use, if possible. Each open bottom of six inch case
		small square represents 40 acres. Well grouted with 60 sacks
		cement on outside of six inch casing to control flow.
		(Continue on reverse sid
_	Ì	USE—If used for irrigation, industrial, drainage or other. Explain, standard number of acres and location or other data (i.e.: Lot, Block and Ado
 		tion).
		Lot 19 of Scifert Tracts according to the map of plat thereof on file and of record in the office
-		
	Show exact depth of bottom.	of the Clerk and Recorder of Lake County, Monta
L	Show exact depth of bottom. Bottom of well 113	
County	Bottom of well 113° orm to be prepared by driller, and three Clerk and Recorder in the county in wh	of the Clerk and Recorder of Lake County, Monta
County retains Please	Bottom of well 113. The common to be prepared by driller, and three Clerk and Recorder in the county in wind by driller. The county in wind by driller.	of the Clerk and Recorder of Lake County, Monta Approx 75 = 225 feet. copies to be filed by the owner with the nich the well is located, tissue copy to be Driller's License Number e, so state, otherwise the form will be
County retains	Bottom of well 113. The common to be prepared by driller, and three Clerk and Recorder in the county in wind by driller. The county in wind by driller.	of the Clerk and Recorder of Lake County, Monta Approx 75 x 225 feet. copies to be filed by the owner with the sich the well is located, tissue copy to be Driller's License Number

Sec.

2 The state of the s THE PARTY CO. 3 14 芝 1 5.0 TO WELL THE PARTY OF THE REAL PROPERTY OF THE PARTY ののないのかの \$4000 在我 海域市市以下· With Comple Marie Care Charles * D होत्रीय का मुक्का होत्री तिक स्थानक्षिक कर्तकर THE SEA OF THE COURSE HAVE AGAIN THE SEA OF that with 1.00 元节群 Correction of the Control of the Con | 1995年 | 19 Date of South indiante en rincillago en the e word at construction STATE OF MONTANA Oounty of Lake Openia Shaper Shaper County to Helphanic County for Marsh 1 BEARTON GRADIGARD Anneh Regeres de Thoring Red See Ares. Paralland Wales Development and and State Water Seatt 2.00

Form No. 18 8-60 MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana DECEIVE WATER WELL LOG STATE ENGINEER Address Polson, Driller Glenn Comp 705 11cm Address Hissoria, Ministra Date Started Dec 2,1961 Date Completed Bec 8,1961 Location: Sec. 2 T. 22 R. 20 \(\frac{1}{4}\) sec. Type of well Equipment used Church horary, other) Irrigation 🗌 Water use: / ¿ Domestic 🕷 Municipal | Stock Industrial [Drainage Other Casing: 1'-6" above ftt. to 118'-7" ft. Type Seamless Size 6" I.D. 19 lbs ft. to____ft. Type____Size____ ____ft. Type____Size___ ft. to Casing: Perforated or Servened: Ft. to ft. Ft. to ft. Type of screen or perforations _ Static Water level, for non-flowing well: 140 from Ground level feet. Shut-in pressure, for flowing well: _____lb./sq. in. on:_____(date) Pumping water level 55 feet at 40 gal. per min. How tested: Compressor Length of test 2 hours with compressor and 3 hours with bailer Remarks: (Gravel packing, cemerting, packers, type of shut-off, depth of

(over)

Put in exact location and file all & copies with County Clerk and Recorder

Log of Well

Depth,	feet		
From	To	Description of Material Drilled	
0	2.1	Top soil	
21	17"	Clay	
17'	651	Sand, silt and clay	
651	1051	Gravel with clay (some water but would not clear)	
1051	111 *	Shay-A-gravek Sand with some gravel	
1111	1141	Clay & gravel	
114"	1171	Sand, gravel and water	
		8 1 7 1 1	
	Jijal sa	0 D d A	
		Service Servic	
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
		drive and	-
		Recorded Co.	_
		Con de Con	
		181	
	<u> </u>		
	† · · · · · · · · · · · · · · · · · · ·		
	}		
	 		
	 		
	 		
	 		
	_i		_

-GW 2				Approved S	tock Form—St	ate Publishing	Co., Helena, M	ontana-38496	$\bigcap_{\mathcal{N}} \mathcal{N}$
File No	Ty Ty		T 1 7 7 F	าดา		Т	22N:R	R 2	رس م
DUPLIC	ΔΨE	DEC	EN II A R	~ (())			unty La	سلب	
		DEC N DEC	30 196	3	STATE C	24. 54.05.	4		
	3		ENGL	NEERMINIST	RATOR O	F GROUN	DWATER	CODE	
	Top of	Ground SIAIE Approx.	4.5			100			
	(Elev. abo	ve sea level 2950)	N	lotice of ()r
		· · · · · · · · · · · · · · · · · · ·		Appropr	iation	by Me	ans of	Well	
	2- 23	Topsoil Clay, gravel and	M. •	(Under Cha	pter 237, 1	Iontana Se	ssion Laws	, 1961)	
	<i>)</i> "	sand in thin alternate layers	- F	Henry Brown	a	esorbb'A	Box 42	l Monts	na
	23- 68	Sandy clay. Some	ř.			1000			200
		scattered gravel	ita ya ka	and the second second	Transfer & As				
	68-110	Brown sand. Some	Date of N	Votice of Approp	riation of	Groundwat	er <i>N. a.</i> A	/E	
 	110-122	clay stringers, Tan sandy clay		l started 4/1					
· -	122-128	Tan clay, gravel silt and sand,	Type of	well Drille	d	Equipm	ent Used	Cable t	ools
- <u> </u>		mixed.	(dug, dr drilled)	iiven, boreu or		(Churn, other)	drill, rotary	or	
-	128-137	Clay and gravel mixed.		•	∵		043 5	T	
- 1	137-147	Clay and sand	water o	se: Domestic [Industrial		nicipal 🔲 ninage 🔲	Other 5		rigation 🔽
	147-186	mixed. Sand, gravel, si	Tel Ind	icate on the di	agram the	character	and thick	ess of the	e different
	*	and clay. Mixed.	, strata m	et with in drilli	ng, such as	soil, clay,	shale, grav	el, rock or	sand, etc.
	1	Fine sand and silt.		pth at which we strata and heigl		•		1	or water-
	192-196	Tan sandy clay Brown silty						Marian - 	
		sand I	Size of Orilled Hole	Size and Welgut of Casing	From (Feet)	To (Feel)	Kind	ERFORATION	·
	226-231 231-237	Tan clay Sand, gravel,	}				Size	From (Feet)	To (Feet)
_		silt and bro-	7"	7" OD X 24# pr ft	_	272	no	ne	
_	237-256	ken rock. Brown silty		,, 2				•	
_		sand. Sand, gravel,				*			}
-		silt and clay.		 					
-	260-267	Medium fine same with some scatte	-	<u></u>					
<u> </u>	l .	Ereacy.	Tea Sta	atic Water Level	for non-flo	owing Well	69.19		feet.
-			Sh	ut-in Pressure f	or Flowing	g Well	non-flo	wing	
<u> </u>			Pu	mping Water Le	vel137	fe	et at 5.0	gal.	per minute.
<u> </u>			_{Di}	scharge in gal. 1	per min, of	flowing w	ell non-	flowing	D
-	w		— E						-
				ow TestedAlx	<u></u>	un t obeng	gin of Test	3(1)	8
			Re	emarks: (Grave					utoff, loca-
				other	similar pe	rtinent inf	formation,	including	number of
			-data	aeres i	rigated, if	used for i	rigation)		••••••••••
- L		Sec. 2 TIZN R.		All	water e	ntering	well t	hrough	the
<u> </u>	Indic	ate location of well a	ınd	oper	rDoeton	OI£136		·Fuchc	asing.
:		of use, if possible. Ea square represents 10 acr				•••	******************************		
-	267-272	Clean coarse gr							***************************************
		xadioned the state of the state				**********	52		
:	Acquife from su	er 267-272. Water Irface.	raise	d to 69!9"		Drille	r's License	Number	\
						\mathcal{U}	illian	J. Li	labone
1	Bottom	of well 272 ft.				Drille	r's Signatu	re	

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

162792 Fater Report Henry & Brown She Public THE PARTY OF THE P grade the state of a grade of the control of the state of STATE OF MONTANAL
County of Luke,
Filed on the 32 day of 20
A. D. 163 at 3:27 o'clark
County Clerk and Recorder
The state of the state

GW	Approved Stock Form—State Publishing Co., Heleng. Montana—42234
File N	T_77R_70
DUPL	STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER
1	Declaration of Vested Groundwater Rights (Under Chapter 237, Montana Session Laws, 1961) 7. F. BLANKENHORN CARLASEIFERT of Dox 557 POLSON
100	(Name of Appropriator) (Address) (Town)
hav	re appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:
	2. The beneficial use on which the claim is based. Down = CT 1 C Use 3. Date or approximate date of earliest beneficial use; and how continuous the use has been
,,	ous the use has been OCTOBER IGAO - CONTINUOUS
" ·	4. The amount of groundwater claimed (in miner's inches or gallons per minute) 30 gallons per minute
Sull SE	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Lots 15, 16, 17, 18, 50, 1527, 70, 100, 15, 16, 17, 18, 50, 1527, 70, 100, 100, 100, 100, 100, 100, 100
Indicand panel	sate point of appropriation place of use, if possible. Each square represents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.
	The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Started approx. July 1860 Improved March 1961
8.	The depth of water table 86 to 87 feet. Water flows over top. at 30 gelpe M.
9.	So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. The first content of the property
•	
10.	The estimated amount of groundwater withdrawn each year 365,000 gillons
11.	The log of formations encountered in the drilling of each well if available 0-4 Pit 4-67 Fanclay 67-80 sand, gravel x 511 t 80-86 Clean course gravel t Sand 86-87 Clean course gravel: good or Usian Water
12.	Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.
	Cally Seifert
	Signature of Owner Ot Blankenbar
	Date Dec 31,1563

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

C. 2. Blankenhorh

Carl B. Despit

The Public

· ·

The property of the second of

The state of the s

STATE OF MONTANAI

County of Lake,

A. D. 1963 at 2'50 o'clock P. M.

County Clerk and Recorder

Deauty

Deauty

County Clerk and Recorder

5	Approved Stock Form—State Publishing Co., Helena, Montaux—3931843
File No.	
DUPLICATE	s County Science
5,7/	STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER DECE VE AUG 12/1968
Notice o	of Completion of Groundwater Appropriation Without Well
	(Under Chapter 237 Montana Session Laws, 1961)
	Date of Appropriation of Groundwater
	. Contractor (if any)
	Address of Contractor
	Date Started Date Completed
N	Describe means of obtaining groundwater without a well "as sub-irrigation and other natural processes". Include depth water when applicable
W	the 8.7 acres
	X
	Quantity of water developed and used with explanation of meth used to measure or estimate such amount. If use is intermitted
17845 Sec. 3	3 22 20 Flows Continuously
Indicate point o and place of use,	
	Signature of Owner Roma L. Fulton

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

1607/8

Water Report
Roma L. Fulton

to

The Public

-2-5	jedisky, plastyka se spilotera. Postania	Marking Michael Market (1997)	
		Approved Stock Form-State Publishing	Co., Helena, Montana—40876
ile No			22 N R 20 W
<i>j</i> UPLICATE			ountyLake
		STATE OF MONTANA	
		FRATOR OF GROUNDWATER CODE	DECEIVED
	OF	FICE OF STATE ENGINEER	DECEIVED
	Declaration of	of Vested Groundwater I	Riahts
	(Under Ch	apter 237, Montana Session Laws, 1961)	STATE ENGINEER
	• • • • • • • • • • • • • • • • • • •		
	r Josephine White ame of Appropriator)		olsen (Town)
County of	Lake	(Address) Mont	
have appropris	· -	ding to the Montana laws in effect prio	er to January 1, 1962, as follows
	N 	2. The beneficial use on which the cla	im is based
	_	La The beneficial use on which the cla	L 18 DASCU
		 Date or approximate date of earli 	
	-	tinuous the use has been in gentinuou	
w	E	III EERALAMBE CONSTITUTO	
		4. The amount of groundwater claim	ad (in miner's inches or gallo
		per minute) 100 gal	lons
		<u> </u>	46+4+++================================
		5. If used for irrigation, give the acr	eage and description of the lan
_	S	to which water has been applied 12 acres tract in S 3,	P 22, R 20
). T R		
Indicate point of and place of us	se, if possible.		
Each small squar acres.	e represents 10	6. The means of withdrawing such location of each well or other me electric pump	ans of withdrawal
		electric bimb	
7. The date of drawal of gr	commencement and com	pletion of the construction of the well, completed about 1955	, wells, or other works for wi
		••••••	
8. The depth of	f water table	overflows	
9. So far as it	may be available, the t	ype, size and depth of each well or the	general specifications of any ot
works for th	e withdrawal of ground		l carrie
	isacise at	43 lho	
		ter withdrawn each year	250 als res la.
			· · · · · · · · · · · · · · · · · · ·
		in the drilling of each well if available	
***************************************		***************************************	***************************************

		nature as may be useful in carrying or	The state of the s
		Ouncy record	
***************************************			Clarton R 1. L.
	and the second s	Signature of Owner	Josephine Whi
er e		Constitution of the consti	1 1 25 101

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

4866.

160231 Water Right Clinton P. & Josephine White The Public

County of Lake,

Filed on the 38 alay of July

A. D. 1963 at 7:350 clock

County Clerk and Recorde,

Terration Fra

GW,2			Annroyed	Stock Porm-Sta	te Publishing	Co., Helena, N	Ontana_39118	
File No.						2N_ R	13 2 37	5
DUPLIC	40 1 114	l.			0	úint e a a	9 0 = 11	
				STATE O	F MONT	MALUE		VEIN:
3 4	Top of Grou		ADMINIST OF			DWATER GINEER		ا الله
	7.1	Approx.	Notice of		20.			
	0 - 1	Black dirt with	Appropi	12.05	5. 核环 · 6. 特益基金等	ALCO PILIT HOLD	Well	TNEER
	/ 1/ /	few broken rocks mixed in.	(Under Cha		10.0000.00	- Contract	, 1961)	
	1 -// 31/	Tan silty clay with some gr-Owne	Frona R.	Rolling.	Address	Polson	Monta	na
	31 - 35	avel mixed in. Sandy clay & Drille		1				
-		gravel. Gravel mixed Date						
	35 - 49	in tan clay. Sandy gravel Date	77	-				
	49 - 56	& clay with						
-	56 / 81	seeps of waterype Gravel imbedded	or well UXILLES , driven, bored or lled)	L	(Churn	ent Osea.A., drill, rotar	or	W.Y
-	81/- 95	in tan clay	r Use: Domestic l	r⊈ Moor	other) uicipal []	Other {	Y Im	rigation
-		with tan clay "and in cracks & seams	Industrial		inage []	Stock		gamon 🔄
	95 - 101 101 - 112	Hard gray rock	Indicate on the di	agram the	character	and thick	ness of the	different
	112 - 129	Green & yellowhow	met with in drilli depth at which w	ater is enco	untered, tl	iickness an	d character	r sand, etc. r of water-
-		rock. Seeps of eari water in cracks	ng strata and heigl	ht to which	. water rise	s in the w	ell.	
- L		& seams Size of	Size and	From	To		ERFORATION	is
	129 - 162	Hard gray Drilled	Weight of	(Feet)	(Feet)			
	162 - 191	rock Bole Green and	Weight of Casing	(Feet)	(Feet)	Kind Size	From (Feet)	To (Feet)
		rock Hole	6 5/8"			Kind Sixe	From (Feet)	
	162 - 191 191 - 262	rock Hotel Green and yellow rock. 5n Gray brown rock.	Casing	(Feet) +1	(Feet) 95	Kind Sixe	From	
	162 - 191	rock Hotel Green and yellow rock. in Gray brown rock. Gray green & Orange rock.	6 5/8"			Kind Sixe	From (Feet)	
	162 - 191 191 - 262 262 - 269	rock Hotel Green and yellow rock. 5n Gray brown rock. Gray green & Orange rock. Water in cracks & seams	6 5/8"			Kind Sixe	From (Feet)	
	162 - 191 191 - 262 262 - 269	rock Hotel Green and yellow rock. In Gray brown rock. Gray green & Orange rock. Water in cracks & seams Green rock. Water in cracks	6 5/8" 0D x 17#	+1	95	Kind Size N	From (Feet)	(Fost)
	162 - 191 191 - 262 262 - 269	rock Hotel Green and yellow rock. 5n Gray brown rock. Gray green & Orange rock. Water in cracks & seams	6 5/8" 0D x 17#	+1 for non-fi	95	Kind Size N	From (Feet)	(Fost)
The state of the s	162 - 191 191 - 262 262 - 269	rock Hotel Green and yellow rock. In Gray brown rock. Gray green & Orange rock. Water in cracks & seams Green rock. Water in cracks	6 5/8" 0D x 17#	+1 for non-fl	95 owing Well	Kind Size N Flowi.	From (Feet) O N E	(Feet)
	162 - 191 191 - 262 262 - 269	rock Hotel Green and yellow rock. In Gray brown rock. Gray green & Orange rock. Water in cracks & seams Green rock. Water in cracks & seams & seams.	6 5/8" 0D x 17# Static Water Level Shut-in Pressure f	for non-fil for Flowin	95 Sowing Well g Well	Kind Size N Flowi 21 1b et at 12	From (Feet) O N E	(Feet)
	162 - 191 191 - 262 262 - 269	rock Hotel Green and yellow rock. In Gray brown rock. Gray green & Orange rock. Water in cracks & seams Green rock. Water in cracks	6 5/8" 0D x 17# Static Water Level Shut-in Pressure f	for non-fl for Flowin evel106	95 owing Well g Wellfe	Kind Sire N Flowi 21 1b et at 12	From (Feet) O N E	(Feet) feet. per minute.
	162 - 191 191 - 262 262 - 269 269 - 3017	rock Hotel Green and yellow rock. In Gray brown rock. Gray green & Orange rock. Water in cracks & seams Green rock. Water in cracks & seams & seams.	Casing 6 5/8" 6 5/8" OD x 17# Static Water Level Shut-in Pressure if Pumping Water Le Discharge in gal. I How Tested Pum Remarks: (Gravel	for non-fl for Flowing ovel. 106.	95 owing Well g Well fe f flowing w	Kind Size N Flowi. 21 1b et at 12. gth of Tes	From (Feet) O N E gal. gal. type of sl	per minute.
	162 - 191 191 - 262 262 - 269 269 - 3017	rock Hotel Green and yellow rock. In Gray brown rock. Gray green & Orange rock. Water in cracks & seams Green rock. Water in cracks & seams & seams.	Casing 6 5/8" OD x 17# Static Water Level Shut-in Pressure if Pumping Water Le Discharge in gal. I How Tested Pum Remarks: (Gravel tion of	for non-fl for Flowin ovel. 106.	95 cowing Well g Well fe f flowing w cementing use of grou	Kind Size N Flowi. 21 1b et at 12 rell 2 ryth of Tes c, packers, undwater if	From (Feet) O N E ag gal. type of slinot at w	feet.
	162 - 191 191 - 262 262 - 269 269 - 3013	rock Hotel Green and yellow rock. In Gray brown rock. Gray green & Orange rock. Water in cracks & seams Green rock. Water in cracks & seams.	Casing 6 5/8" 6 5/8" 6 5/8" 6 5/8" CD x 17# Static Water Level Shut-in Pressure f Pumping Water Le Discharge in gal. 1 How Tested Pum Remarks: (Gravel tion of other s acres in	for non-fl for Flowin ovel106	owing Well g Wellfe f flowing w Len cementing use of grou	Flowi. Plowi. 21 1b et at 12 eth of Tes packers, indwater if formation, rrigation).	Prom (Feet) O N E O N E gal. gal. type of sl not at w including	per minute. t. hr. nutoff, loca- ell, and any number of
	162 - 191 191 - 262 262 - 269 269 - 3017	rock Hotel Green and yellow rock. In Gray brown rock. Gray green & Orange rock. Water in cracks & seams Green rock. Water in cracks & seams Francis & seams Fr	Casing 6 5/8" OD x 17# Static Water Level Shut-in Pressure f Pumping Water Le Discharge in gal. 1 How Tested Pum Remarks: (Gravel tion of other s acres in enter	for non-fl for Flowin evel. 106. per min. of packing, place of similar per crigated, if	owing Well g Well fe flowing w cementing use of grou ritinent in used for i 11 thro	Flowi. Plowi. 21 1b et at 12 eth of Tes packers, indwater if formation, rrigation) ugh cre	o N E O N E gal. type of si not at w including All wa cks an	per minute. t. hr. a. nutoff, loca- ell, and any number of
	162 - 191 191 - 262 262 - 269 269 - 3017	rock Hotel Green and yellow rock. In Gray brown rock. Gray green & Orange rock. Water in cracks & seams Green rock. Water in cracks & seams.	Casing 6 5/8" OD x 17# Static Water Level Shut-in Pressure f Pumping Water Le Discharge in gal. 1 How Tested Pum Remarks: (Gravel tion of other s acres in enter	for non-fl for Flowin evel. 106. per min. of packing, place of similar per crigated, if	owing Well g Well fe flowing w cementing use of grou ritinent in used for i 11 thro	Flowi. Plowi. 21 1b et at 12 eth of Tes packers, indwater if formation, rrigation) ugh cre	o N E O N E gal. type of si not at w including All wa cks an	feet. per minute. t. hr. a. nutoff, loca- ell, and any number of ter. d seams
	162 - 191 191 - 262 262 - 269 269 - 3017	rock Hoteles Green and yellow rock. In Gray brown rock. Gray green & Orange rock. Water in cracks & seams Green rock. Water in cracks & seams Francis & seams	Casing 6 5/8" OD x 17# Static Water Level Shut-in Pressure f Pumping Water Le Discharge in gal. 1 How Tested Pum Remarks: (Gravel tion of other s acres in enter	for non-fl for Flowin evel. 106. per min. of packing, place of similar per crigated, if	owing Well g Well fe flowing w cementing use of grou ritinent in used for i 11 thro	Flowi. Plowi. 21 1b et at 12 eth of Tes packers, indwater if formation, rrigation) ugh cre	o N E O N E gal. type of si not at w including All wa cks an	feet. per minute. t. hr.a. nutoff, loca- ell, and any number of ter. d seams
	162 - 191 191 - 262 262 - 269 269 - 3017 W ENW 1/NE Indicate place of small squ Show exact	rock Hote Green and yellow rock. In Gray brown rock. Gray green & Orange rock. Water in cracks & seams Green rock. Water in cracks & seams Seam	Casing 6 5/8" OD x 17# Static Water Level Shut-in Pressure f Pumping Water Le Discharge in gal. 1 How Tested Pum Remarks: (Gravel tion of other s acres in enter	for non-fl for Flowin evel. 106. per min. of packing, place of similar per crigated, if	owing Well g Well fe f flowing w cementing use of ground in fused for i ll thro halow	Rind Size N N Flowit 21 1b et at 12 gth of Tes packers, indwater if formation, rrigation) ugh cre 112 fee	gal. c. s. gal. t. eight type of sl. not at w including All. wa. cks an	feet. per minute. t. hr.a. nutoff, loca- ell, and any number of ter. d seams
	162 - 191 191 - 262 262 - 269 269 - 3017 W ENW 1/NE Indicate place of small squ Show exact	rock Hole Green and yellow rock. 5n Gray brown rock. Gray green & Orange rock. Water in cracks & seams Green rock. Water in cracks & seams Sec. 5 T22N R 20W location of well and use, if possible. Each ser represents 10 acres.	Casing 6 5/8" OD x 17# Static Water Level Shut-in Pressure f Pumping Water Le Discharge in gal. 1 How Tested Pum Remarks: (Gravel tion of other s acres in enter	for non-fl for Flowin evel. 106. per min. of packing, place of similar per crigated, if	owing Well g Well fe f flowing w cementing use of ground in fused for i ll thro halow	Flowi. Plowi. 21 1b et at 12 eth of Tes packers, indwater if formation, rrigation) ugh cre	gal. c. s. gal. t. eight type of sl. not at w including All. wa. cks an	feet. per minute. t. hr.a. nutoff, loca- ell, and any number of ter. d seams

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

STATE OF MONTANAL

Country of Lake,

Filed on the 253 day of AegA. D. 196 4 at 1 4 5 clock

HAZEL KINNUK

County Clay and Recorder

By Department

then events (volta) hanold to got

AND REPORTED IN SPECIAL SERVICES

ATT THE

the engine many the property of the property well.

Market Byles Front